


SAVVAS

A Correlation of
Precalculus
6th Edition, ©2018
Blitzer



to the
**South Carolina College-and Career-Ready
(SCCCR) Pre-Calculus**

Savvas is proud to partner with Pearson to offer the best in AP, honors, and electives products.

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6 th Edition, ©2018
Mathematical Process Standards	
1. Make sense of problems and persevere in solving them.	
a. Relate a problem to prior knowledge.	SE/TE: 18, 30, 45, 123, 139, 179, 200, 281, 282, 292, 293, 399, 401, 450, 597, 721, 852, 894, 895, 919, 967
b. Recognize there may be multiple entry points to a problem and more than one path to a solution.	SE/TE: 123, 124, 139, 292, 293, 401, 450, 597, 852, 894, 895, 919, 967
c. Analyze what is given, what is not given, what is being asked, and what strategies are needed, and make an initial attempt to solve a problem.	SE/TE: 19, 48, 122, 123, 124, 139, 179, 399, 401, 597, 721, 852, 894, 895, 919, 967
d. Evaluate the success of an approach to solve a problem and refine it if necessary.	SE/TE: 450, 451, 597, 852, 895
2. Reason both contextually and abstractly.	
a. Make sense of quantities and their relationships in mathematical and real-world situations.	SE/TE: 31, 270, 271, 293, 294, 365, 400, 425, 450, 465, 507, 820, 864, 894, 904, 1021, 1141
b. Describe a given situation using multiple mathematical representations.	SE/TE: 293, 294, 365, 400, 425, 450, 465, 507, 820, 864, 894, 904, 1021, 1141
c. Translate among multiple mathematical representations and compare the meanings each representation conveys about the situation.	SE/TE: 271, 293, 294, 365, 400, 425, 450, 465, 507, 820, 864, 894, 904, 1021, 1141
d. Connect the meaning of mathematical operations to the context of a given situation.	SE/TE: 31, 123, 139, 179, 200, 281, 282, 293, 294, 365, 400, 425, 450, 465, 507, 820, 864, 894, 904, 1021, 1141
3. Use critical thinking skills to justify mathematical reasoning and critique the reasoning of others.	
a. Construct and justify a solution to a problem.	SE/TE: 140, 180, 216, 260, 282, 295, 315, 332, 365, 379, 425, 563, 769, 842, 1086, 1094
b. Compare and discuss the validity of various reasoning strategies.	SE/TE: 260, 295, 332, 365, 379, 425, 549, 563, 842, 865, 1086, 1094
c. Make conjectures and explore their validity.	SE/TE: 140, 272, 281, 333, 334, 352, 365, 415, 425, 476, 491, 660, 842, 904, 934, 1076, 1062

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
d. Reflect on and provide thoughtful responses to the reasoning of others.	SE/TE: 140, 272, 281, 333, 334, 352, 365, 415, 425, 476, 491, 660, 842, 904, 934, 1076, 1062
4. Connect mathematical ideas and real-world situations through modeling.	
a. Identify relevant quantities and develop a model to describe their relationships.	SE/TE: 57, 86, 108, 122, 123, 124, 199, 200, 227, 259, 291, 292, 293, 294, 351, 400, 611, 821, 968
b. Interpret mathematical models in the context of the situation.	SE/TE: 57, 108, 122, 123, 124, 199, 200, 2527, 243, 259, 260, 291, 292, 293, 294, 351, 400, 414, 611, 821, 968
c. Make assumptions and estimates to simplify complicated situations.	SE/TE: 86, 122, 123, 124, 227, 243, 259, 260, 291, 292, 293, 294, 400, 414, 611, 821, 968
d. Evaluate the reasonableness of a model and refine if necessary.	SE/TE: 108, 122, 123, 124, 199, 243, 291, 292, 350, 351, 414, 611, 821, 968
5. Use a variety of mathematical tools effectively and strategically.	
a. Select and use appropriate tools when solving a mathematical problem.	SE/TE: 47, 176, 198, 215, 216, 244, 271, 281, 295, 332, 333, 379, 402, 449, 476, 598, 671, 755, 895, 946, 1141
b. Use technological tools and other external mathematical resources to explore and deepen understanding of concepts.	SE/TE: 47, 176, 198, 215, 216, 244, 271, 281, 295, 332, 333, 379, 402, 449, 476, 598, 671, 755, 895, 946, 1141
6. Communicate mathematically and approach mathematical situations with precision.	
a. Express numerical answers with the degree of precision appropriate for the context of a situation.	SE/TE: 30, 45, 56, 69, 85, 108, 139, 258, 260, 293, 294, 314, 331, 401, 425, 490, 491, 548, 560, 575, 576, 626, 638, 639, 669
b. Represent numbers in an appropriate form according to the context of the situation.	SE/TE: 31, 47, 84, 85, 108, 139, 293, 294, 331, 401, 425, 508, 509, 576, 627, 638, 639, 705, 722, 819, 998
c. Use appropriate and precise mathematical language.	SE/TE: 31, 47, 56, 108, 180, 295, 315, 365, 415, 425, 465, 549, 639, 705, 723, 732, 1093
d. Use appropriate units, scales, and labels.	SE/TE: 47, 86, 123, 124, 291, 292, 293, 315, 331, 401, 414, 424, 425, 490, 491, 549, 561, 627, 705, 721, 743

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
7. Identify and utilize structure and patterns.	
a. Recognize complex mathematical objects as being composed of more than one simple object.	SE/TE: 68, 84, 85, 138, 314, 315, 364, 400, 449, 491, 508, 627, 659, 755, 842
b. Recognize mathematical repetition in order to make generalizations.	SE/TE: 399, 562, 576, 637, 669, 744, 1048, 1049, 1059, 1061, 1073, 1075, 1085, 1092, 1103
c. Look for structures to interpret meaning and develop solution strategies.	SE/TE: 69, 106, 138, 178, 179, 259, 269, 314, 363, 413, 491, 638, 659, 669, 820, 821, 967, 999
Arithmetic with Polynomials and Rational Expressions	
PC.AAPR.2 Know and apply the Division Theorem and the Remainder Theorem for polynomials.	SE/TE: 360-362, 363-365
PC.AAPR.3 Graph polynomials identifying zeros when suitable factorizations are available and indicating end behavior. Write a polynomial function of least degree corresponding to a given graph.	SE/TE: 336-340, 340-343, 344-347
PC.AAPR.4 Prove polynomial identities and use them to describe numerical relationships.	SE/TE: 53-55, 56
PC.AAPR.5 Apply the Binomial Theorem to expand powers of binomials, including those with one and with two variables. Use the Binomial Theorem to factor squares, cubes, and fourth powers of binomials.	SE/TE: 1088-1091, 1092, 1093
PC.AAPR.6 Apply algebraic techniques to rewrite simple rational expressions in different forms; using inspection, long division, or, for the more complicated examples, a computer algebra system.	SE/TE: 72-75, 80-83, 84-87
PC.AAPR.7 Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions.	SE/TE: 74-79, 84-87

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
Reasoning with Equations and Inequalities	
PC.AREI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. Understand that such systems may have zero, one, two, or infinitely many solutions.	SE/TE: 843-846, 850
PC.AREI.8 Represent a system of linear equations as a single matrix equation in a vector variable.	SE/TE: 882-885, 892
PC.AREI.9 Using technology for matrices of dimension 3×3 or greater, find the inverse of a matrix if it exists and use it to solve systems of linear equations.	SE/TE: 925-929, 932-933
PC.AREI.11 Solve an equation of the form $f(x)=g(x)$ graphically by identifying the x -coordinate(s) of the point(s) of intersection of the graphs of $y=f(x)$ and $y=g(x)$.	SE/TE: 805, 810, 811, 815-816, 818-819
Structure and Expressions	
PC.ASE.1 Interpret the meanings of coefficients, factors, terms, and expressions based on their real-world contexts. Interpret complicated expressions as being composed of simpler expressions.	SE/TE: 13-15, 17-19, 34, 35, 37, 40-41, 43, 44, 45-46, 53, 58-67, 68-70, 73-74, 80-82, 84-85
PC.ASE.2 Analyze the structure of binomials, trinomials, and other polynomials in order to rewrite equivalent expressions.	SE/TE: 49, 56, 59-67, 68-69, 70
PC.ASE.4 Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems including applications to finance.	SE/TE: 1070-1073, 1074-1075

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
Building Functions	
PC.FBF.1 Write a function that describes a relationship between two quantities.	SE/TE: 204-206, 210-212, 214-215, 282-290, 291-296, 331-332, 395-397, 401, 444-447, 449-450, 459-462, 465
b. Combine functions using the operations addition, subtraction, multiplication, and division to build new functions that describe the relationship between two quantities in mathematical and real-world situations.	SE/TE: 248-252, 258-259
PC.FBF.3 Describe the effect of the transformations $kf(x)$, $f(x)+k$, $f(x+k)$, and combinations of such transformations on the graph of $y=f(x)$ for any real number k . Find the value of k given the graphs and write the equation of a transformed parent function given its graph.	SE/TE: 229-240, 241-245, 389, 400, 442-443, 448-449, 457-458
PC.FBF.4 Understand that an inverse function can be obtained by expressing the dependent variable of one function as the independent variable of another, as f and g are inverse functions if and only if $f(x)=y$ and $g(y)=x$, for all values of x in the domain of f and all values of y in the domain of g , and find inverse functions for one-to-one function or by restricting the domain.	SE/TE: 261, 264-268, 269-272, 613-621
a. Use composition to verify one function is an inverse of another.	SE/TE: 263, 269, 621-623
b. If a function has an inverse, find values of the inverse function from a graph or table.	SE/TE: 264-266, 269-272, 613-621
PC.FBF.5 Understand and verify through function composition that exponential and logarithmic functions are inverses of each other and use this relationship to solve problems involving logarithms and exponents.	SE/TE: 452-453, 456

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
Interpreting Functions	
<p>PC.FIF.4 Interpret key features of a function that models the relationship between two quantities when given in graphical or tabular form. Sketch the graph of a function from a verbal description showing key features. Key features include intercepts; intervals where the function is increasing, decreasing, constant, positive, or negative; relative maximums and minimums; symmetries; end behavior and periodicity.</p>	<p>SE/TE: 175, 181-191, 195-197, 208-210, 283-289, 291-295, 316-324, 330-332, 336-337, 344-347, 349-352, 385-389, 390-394, 399, 440-441, 448-449, 456-457, 464, 579-591, 592-593, 595-597, 600-608, 609-611</p>
<p>PC.FIF.5 Relate the domain and range of a function to its graph and, where applicable, to the quantitative relationship it describes.</p>	<p>SE/TE: 172-174, 176, 192, 196-198, 322, 330, 382-385, 398, 440-441, 448, 458, 464, 539, 579, 588, 601, 603, 605</p>
<p>PC.FIF.6 Given a function in graphical, symbolic, or tabular form, determine the average rate of change of the function over a specified interval. Interpret the meaning of the average rate of change in a given context.</p>	<p>SE/TE: 220-225, 226-227</p>
<p>PC.FIF.7 Graph functions from their symbolic representations. Indicate key features including intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior and periodicity. Graph simple cases by hand and use technology for complicated cases. (Note: PC.FIF.7a – d are not Graduation Standards.)</p>	<p>SE/TE: 175, 181-191, 195-197, 208-210, 283-289, 291-295, 316-324, 330-332, 336-337, 344-347, 349-352, 385-389, 390-394, 399, 440-441, 448-449, 456-457, 464, 579-591, 592-593, 595-597, 600-608, 609-611</p>
<p>a. Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.</p>	<p>SE/TE: 382-388, 390-394, 399</p>
<p>b. Graph radical functions over their domain show end behavior.</p>	<p>SE/TE: 230, 233-235, 242</p>
<p>c. Graph exponential and logarithmic functions, showing intercepts and end behavior.</p>	<p>SE/TE: 439-441, 448-449, 456-457, 458, 463</p>

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
d. Graph trigonometric functions, showing period, midline, and amplitude.	SE/TE: 578-586, 587-591, 595-596
Linear, Quadratic, and Exponential	
PC. FLQE.4 Express a logarithm as the solution to the exponential equation, $abct=d$ where a , c , and d are numbers and the base b is 2, 10, or e ; evaluate the logarithm using technology.	SE/TE: 497-500, 505-509
Trigonometry	
PC.FT.1 Understand that the radian measure of an angle is the length of the arc on the unit circle subtended by the angle.	SE/TE: 520-521
PC.FT.2 Define sine and cosine as functions of the radian measure of an angle in terms of the x - and y -coordinates of the point on the unit circle corresponding to that angle and explain how these definitions are extensions of the right triangle definitions.	SE/TE: 537-539, 547, 551
a. Define the tangent, cotangent, secant, and cosecant functions as ratios involving sine and cosine.	SE/TE: 537-539, 551-553
b. Write cotangent, secant, and cosecant functions as the reciprocals of tangent, cosine, and sine, respectively.	SE/TE: 551-553
PC.FT.3 Use special triangles to determine geometrically the values of sine, cosine, tangent for $\pi/3$, $\pi/4$, and $\pi/6$, and use the unit circle to express the values of sine, cosine, and tangent for $\pi-x$, $\pi+x$, and $2\pi-x$ in terms of their values for x , where x is any real number.	SE/TE: 535-540, 554-556
PC.FT.4 Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions.	SE/TE: 541-545

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
PC.FT.5 Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.	SE/TE: 578-592, 595-599, 600-608, 609-612
PC.FT.6 Define the six inverse trigonometric functions using domain restrictions for regions where the function is always increasing or always decreasing.	SE/TE: 613-621
PC.FT.7 Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context.	SE/TE: 629-636, 637-640
PC.FT.8 Justify the Pythagorean, even/odd, and cofunction identities for sine and cosine using their unit circle definitions and symmetries of the unit circle and use the Pythagorean identity to find $\sin A$, $\cos A$, or $\tan A$, given $\sin A$, $\cos A$, or $\tan A$, and the quadrant of the angle.	SE/TE: 541-543, 556-557, 564-574, 650-658
PC.FT.9 Justify the sum and difference formulas for sine, cosine, and tangent and use them to solve problems.	SE/TE: 661-668, 669-672
Circles	
PC.GCI.5 Derive the formulas for the length of an arc and the area of a sector in a circle, and apply these formulas to solve mathematical and real-world problems.	SE/TE: 529, 533
Expressing Geometric Properties with Equations	
PC.GGPE.2 Use the geometric definition of a parabola to derive its equation given the focus and directrix.	SE/TE: 985-987, 989, 997
PC.GGPE.3 Use the geometric definition of an ellipse and of a hyperbola to derive the equation of each given the foci and points whose sum or difference of distance from the foci are constant.	SE/TE: 955-957, 959, 966, 969-970, 972, 981

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
Similarity, Right Triangles, and Trigonometry	
PC.GSRT.9 Derive the formula $A = \frac{1}{2}ab\sin C$ for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side.	SE/TE: 718, 720, 1184-1185
PC.GSRT.10 Prove the Laws of Sines and Cosines and use them to solve problems.	SE/TE: 712-713
PC.GSRT.11 Use the Law of Sines and the Law of Cosines to solve for unknown measures of sides and angles of triangles that arise in mathematical and real-world problems.	SE/TE: 713-719, 720-723, 724-728, 730-732
Complex Number System	
PC.NCNS.2 Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.	SE/TE: 308-310, 314-315, 757-758
PC.NCNS.3 Find the conjugate of a complex number in rectangular and polar forms and use conjugates to find moduli and quotients of complex numbers.	SE/TE: 310-311, 757-758, 761-762, 768
PC.NCNS.4 Graph complex numbers on the complex plane in rectangular and polar form and explain why the rectangular and polar forms of a given complex number represent the same number.	SE/TE: 758-760, 767
PC.NCNS.5 Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation.	SE/TE: 761-762, 767, 768
PC.NCNS.6 Determine the modulus of a complex number by multiplying by its conjugate and determine the distance between two complex numbers by calculating the modulus of their difference.	SE/TE: 760, 761-762, 767

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
PC.NCNS.7 Solve quadratic equations in one variable that have complex solutions.	SE/TE: 312-313, 314
PC.NCNS.8 Extend polynomial identities to the complex numbers and use DeMoivre's Theorem to calculate a power of a complex number.	SE/TE: 762-766, 768
PC.NCNS.9 Know the Fundamental Theorem of Algebra and explain why complex roots of polynomials with real coefficients must occur in conjugate pairs.	SE/TE: 372-373, 764-766, 768
Vector and Matrix Quantities	
PC.NVMQ.1 Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes.	SE/TE: 372-373, 764-766, 768
PC.NVMQ.2 Represent and model with vector quantities. Use the coordinates of an initial point and of a terminal point to find the components of a vector.	SE/TE: 770-771
PC.NVMQ.3 Represent and model with vector quantities. Solve problems involving velocity and other quantities that can be represented by vectors.	SE/TE: 771-775, 781-784
PC.NVMQ.4 Perform operations on vectors.	SE/TE: 778-780, 782-784
a. Add and subtract vectors using components of the vectors and graphically.	SE/TE: 775-777, 782
b. Given the magnitude and direction of two vectors, determine the magnitude of their sum and of their difference.	SE/TE: 775-776, 777, 782
PC.NVMQ.5 Multiply a vector by a scalar, representing the multiplication graphically and computing the magnitude of the scalar multiple.	SE/TE: 776, 777, 782

**A Correlation of Precalculus, 6th Edition, ©2018
to the South Carolina College- and Career-Ready (SCCCR) Pre-Calculus**

South Carolina College- and Career-Ready (SCCCR) Pre-Calculus	Precalculus 6th Edition, ©2018
PC.NVMQ.6* Use matrices to represent and manipulate data. (Note: This Graduation Standard is covered in Grade 8.)	SE/TE: 919 (#61-64)
PC.NVMQ.7 Perform operations with matrices of appropriate dimensions including addition, subtraction, and scalar multiplication.	SE/TE: 906-909
PC.NVMQ.8 Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties.	SE/TE: 910-914
PC.NVMQ.9 Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse.	SE/TE: 921-928, 935-936, 945
PC.NVMQ.10 Multiply a vector by a matrix of appropriate dimension to produce another vector. Work with matrices as transformations of vectors.	SE/TE: 910-914, 915-916, 917-918
PC.NVMQ.11 Apply 2×2 matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area.	SE/TE: 917-918

Copyright © 2020 Savvas Learning Company LLC All Rights Reserved.
Savvas™ and **Savvas Learning Company™** are the exclusive trademarks of
Savvas Learning Company LLC in the US and in other countries.

PEARSON, MYLAB, MYMATHLAB, MATHXL, MASTERING, STATCRUNCH and the Pearson Logo are trademarks
owned and/or registered by Pearson plc and/or its affiliates. All other third party marks are the property of
their respective owners. Copyright in the works referenced herein is owned by Pearson Education, Inc.