

A Correlation of



To the
UTAH CORE STATE STANDARDS
For MATHEMATICS
Secondary Mathematics II
Utah Course # 07080000100

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Resource Title: enVision Integrated Mathematics II

Publisher: Savvas Education, Inc.

ISBN: SE: 9781418291891

Media (text, software, internet, multimedia): Multimedia

Author: Kennedy, Milou, Thomas, Zbiek, Cuoco

Copyright: 2019

Review Date: August 13, 2018

Core Subject Area: Mathematics

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Mathematical Practices	
<p>Standard SII.MP.1 Make sense of problems and persevere in solving them. Explain the meaning of a problem and look for entry points to its solution. Analyze givens, constraints, relationships, and goals. Make conjectures about the form and meaning of the solution, plan a solution pathway, and continually monitor progress asking, “Does this make sense?” Consider analogous problems, make connections between multiple representations, identify the correspondence between different approaches, look for trends, and transform algebraic expressions to highlight meaningful mathematics. Check answers to problems using a different method.</p>	<p>SE: 11-17, 83-88, 89-94, 117-123, 132-138, 170-175, 191-197, 205-211, 263-268, 319-326, 328-335, 357-363, 365-373, 374-382, 391-397, 398-405, 429-435, 445-451, 491-497, 521-527, 535-541, 556-562, 577-584, 594-600, 601-608, 615-620, 621-628, 637-642</p> <p>TE: 11A-17B, 83A-88B, 89A-94B, 117A-123B, 132A-138B, 170A-175B, 191A-197B, 205A-211B, 263A-268B, 319A-326B, 328A-335B, 357A-363B, 365A-373B, 374A-382B, 391A-397B, 398A-405B, 429A-435B, 445A-451B, 491A-497B, 521A-527B, 535A-541B, 556-562, 577A-584B, 594A-600B, 601A-608B, 615A-620B, 621A-628B, 637A-642B</p>
<p>Standard SII.MP.2 Reason abstractly and quantitatively. Make sense of the quantities and their relationships in problem situations. Translate between context and algebraic representations by contextualizing and decontextualizing quantitative relationships. This includes the ability to decontextualize a given situation, representing it algebraically and manipulating symbols fluently as well as the ability to contextualize algebraic representations to make sense of the problem.</p>	<p>SE: 145-150, 151-157, 158-163, 164-169, 212-222, 229-235, 237-242, 243-248, 256-262, 269-274 281-286, 311-318, 336-342, 343-348, 365-373, 413-421, 452-460, 477-482, 483-490, 491-497, 506-513, 514-520, 521-527, 543-549, 550-555, 569-576, 577-584, 637-642</p> <p>TE: 145A-150B, 151A-157B, 158A-163B, 164A-169B, 212A-222B, 229A-235B, 237A-242B, 243A-248B, 256A-262B, 269A-274B, 281A-286B, 311A-318B, 336A-342B, 343A-348B, 365A-373B, 413A-421B, 452A-460B, 477A-482B, 483A-490B, 491A-497B, 506A-513B, 514A-520B, 521A-527B, 543A-549B, 550A-555B, 569A-576B, 577A-584B, 637A-642B</p>

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
<p>Standard SII.MP.3 Construct viable arguments and critique the reasoning of others. Understand and use stated assumptions, definitions, and previously established results in constructing arguments. Make conjectures and build a logical progression of statements to explore the truth of their conjectures. Justify conclusions and communicate them to others. Respond to the arguments of others by listening, asking clarifying questions, and critiquing the reasoning of others.</p>	<p>SE: 11-17, 55-62, 83-88, 103-109, 117-123, 145-150, 151-157, 158-163, 191-197, 212-222, 256-262, 275-280, 281-286, 311-318, 336-342, 343-348, 357-363, 374-382, 391-397, 413-421, 429-435, 477-482, 483-490, 491-497, 499-505, 514-520, 586-593, 601-608, 621-628</p> <p>TE: 11A-17B, 55A-62B, 83A-88B, 103A-109B, 117A-123B, 145A-150B, 151A-157B, 158A-163B, 191A-197B, 212A-222B, 256A-262B, 275A-280B, , 281A-286B, 311A-318B, 336A-342B, 343A-348B, 357A-363B, 374A-382B, 391A-397B, 413A-421B, 429A-435B, 477A-482B, 483A-490B, 491A-497B, 499A-505B, 514A-520B, 586A-593B, 601A-608B, 621A-628B</p>
<p>Standard SII.MP.4 Model with mathematics. Apply mathematics to solve problems arising in everyday life, society, and the workplace. Make assumptions and approximations, identifying important quantities to construct a mathematical model. Routinely interpret mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.</p>	<p>SE: 18-25, 26, 34-40, 82, 110-116, 124-130, 131, 176, 183-189, 190, 198-204, 205-211, 229-235, 236, 319-326, 327, 328-335, 357-363, 364, 383-390, 398-405, 429-435, 444-444B, 452-460, 499-505, 506-513, 514-520, 535-541, 542, 550-555, 585, 586-593, 621-628, 629, 630-636, 637-642</p> <p>TE: 18A-25B, 26-26B, 34A-40B, 82-82B, 110A-116B, 124A-130B, 131-131B, 176-176B, 183A-189B, 190-190B, 198A-204B, 205A-211B, 229A-235B, 236-236B, 319A-326B, 327-327B, 328A-335B, 357A-363B, 364-364B, 383A-390B, 398A-405B, 429A-435B, 444-444B, 452A-460B, 499A-505B, 506A-513B, 514A-520B, 535A-541B, 542-542B, 550A-555B, 585-585B, 586A-593B, 621A-628B, 629-629B, 630A-636B, 637A-642B</p>
<p>Standard SII.MP.5 Use appropriate tools strategically. Consider the available tools and be sufficiently familiar with them to make sound decisions about when each tool might be helpful, recognizing both the insight to be gained as well as the limitations. Identify relevant external mathematical resources and use them to pose or solve problems. Use tools to explore and deepen their understanding of concepts.</p>	<p>SE: 27-33, 75-81, 124-130, 170-175, 198-204, 243-248 374-382, 383-390, 422-428, 436-443, 535-541, 577-584, 615-620</p> <p>TE: 27A-33B, 75A-81B, 124A-130B, 170A-175B, 198A-204B, 243A-248B, 374A-382B, 383A-390B, 422A-428B, 436A-443B, 535A-541B, 577A-584B</p>

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
<p>Standard SII.MP.6 Attend to precision. Communicate precisely to others. Use explicit definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose. Specify units of measure and label axes to clarify the correspondence with quantities in a problem. Calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context.</p>	<p>SE: 27-33, 34-40, 110-116, 237-242, 243-248, 269-274, 275-280, 383-390, 422-428, 436-443, 506-513, 543-549, 556-562, 569-576, 601-608, 615-620, 630-636</p> <p>TE: 27A-33B, 34A-40B, 110A-116B, 237A-242B, 243A-248B, 269A-274B, 275A-280B, 383A-390B, 422A-428B, 436A-443B, 506A-513B, 543A-549B, 556A-562B, 569A-576B, 594A-600B, 601A-608B, 615A-620B, 630A-636B</p>
<p>Standard SII.MP.7 Look for and make use of structure. Look closely at mathematical relationships to identify the underlying structure by recognizing a simple structure within a more complicated structure. See complicated things, such as some algebraic expressions, as single objects or as being composed of several objects. For example, see $5 - 3(x - y)^2$ as 5 minus a positive number times a square and use that to realize that its value cannot be more than 5 for any real numbers x and y.</p>	<p>SE: 18-25, 27-33, 34-40, 47-54, 55-62, 63-68, 69-74, 75-81, 89-94, 103-109, 110-116, 117-123, 132-138, 145-150, 151-157, 158-163, 164-169, 170-175, 191-197, 198-204, 212-222, 229-235, 237-242, 249-255, 256-262, 263-268, 269-274, 275-280, 311-318, 319-326, 328-335, 336-342, 343-348, 365-373, 391-397, 398-405, 436-443, 445-451, 452-460, 461-470, 483-490, 491-497, 569-576, 586-593, 594-600, 630-636</p> <p>TE: 18A-25B, 27A-33B, 34A-40B, 47A-54B, 55A-62B, 63A-68B, 69A-74B, 75A-81B, 89A-94B, 103A-109B, 110A-116B, 117A-123B, 132A-138B, 145A-150B, 151A-157B, 158A-163B, 164A-169B, 170A-175B, 191A-197B, 198A-204B, 212A-222B, 229A-235B, 237A-242B, 249A-255B, 256A-262B, 263A-268B, 269A-274B, 275A-280B, 311A-318B, 319A-326B, 328A-335B, 336A-342B, 343A-348B, 365A-373B, 391A-397B, 398A-405B, 436A-443B, 445A-451B, 452A-460B, 461A-470B, 483A-490B, 491A-497B, 569A-576B, 586A-593B, 594A-600B, 630A-636B</p>
<p>Standard SII.MP.8 Look for and express regularity in repeated reasoning. Notice if reasoning is repeated, and look for both generalizations and shortcuts. Evaluate the reasonableness of intermediate results by maintaining oversight of the process while attending to the details.</p>	<p>SE: 11-17, 55-62, 63-68, 69-74, 124-130, 183-189, 249-255, 263-268, 413-421, 422-428, 461-470, 477-482, 543-549, 550-555</p> <p>TE: 11A-17B, 55A-62B, 63A-68B, 69A-74B, 124A-130B, 183A-189B, 249A-255B, 263A-268B, 413A-421B, 422A-428B, 461A-470B, 477A-482B, 543A-549B, 550A-555B</p>

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
NUMBER AND QUANTITY	
The Real Number System (N.RN)	
Extend the properties of exponents to rational exponents.	
Standard N.RN.1 Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. <i>For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $(5^{1/3})^3$ must equal 5.</i>	SE: 11-17 TE: 11A-17B
Standard N.RN.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.	SE: 11-17, 158-163 TE: 11A-17B, 158A-163B
Use properties of rational and irrational numbers.	
Standard N.RN.3 Explain why sums and products of rational numbers are rational, that the sum of a rational number and an irrational number is irrational, and that the product of a nonzero rational number and an irrational number is irrational. Connect to physical situations (e.g., finding the perimeter of a square of area 2).	SE: 5-10 TE: 5A-10B
The Complex Number System (N.CN)	
Perform arithmetic operations with complex numbers.	
Standard N.CN.1 Know there is a complex number i such that $i^2 = -1$, and every complex number has the form $a + bi$ with a and b real.	SE: 183-189 TE: 183A-189B
Standard N.CN.2 Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers. Limit to multiplications that involve i^2 as the highest power of i .	SE: 183-189 TE: 183A-189B
Use complex numbers in polynomial identities and equations.	
Standard N.CN.7 Solve quadratic equations with real coefficients that have complex solutions.	SE: 191-197, 198-204 TE: 191A-197B, 198A-204B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Standard N.CN.8 Extend polynomial identities to the complex numbers. Limit to quadratics with real coefficients. <i>For example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$.</i>	SE: 183-189 TE: 183A-189B
Standard N.CN.9 Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.	This standard is addressed in enVision Integrated Mathematics III. Please see: SE: 101-108 TE: 101A-108B
ALGEBRA	
Seeing Structure in Expression (A.SSE)	
Interpret the structure of expressions.	
Standard A.SSE.1 Interpret quadratic and exponential expressions that represent a quantity in terms of its context.	SE: 18-25, 75-81 TE: 18A-25B
a. Interpret parts of an expression, such as terms, factors, and coefficients.	SE: 69-74, 75-81, 83-88, 89-94 TE: 69A-74B, 75A-81B, 83A-88B, 89A-94B
b. Interpret increasingly more complex expressions by viewing one or more of their parts as a single entity. Exponents are extended from the integer exponents to rational exponents focusing on those that represent square or cube roots.	SE: 11-17, 18-25 TE: 11A-17B, 18A-25B
Standard A.SSE.2 Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.	SE: 69-74, 89-94, 164-169, 212-222 TE: 69A-74B, 89A-94B, 164A-169B, 212A-222B
Write expressions in equivalent forms to solve problems, balancing conceptual understanding and procedural fluency in work with equivalent expressions.	
Standard A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. <i>For example, development of skill in factoring and completing the square goes hand in hand with understanding what different forms of a quadratic expression reveal.</i>	SE: 11-17, 75-81, 83-88, 89-94, 151-157 TE: 11A-17B, 75A-81B, 83A-88B, 89A-94B, 151A-157B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
a. Factor a quadratic expression to reveal the zeros of the function it defines.	SE: 75-81, 83-88, 89-94, 151-157 TE: 75A-81B, 83A-88B, 89A-94B, 151A-157B
b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.	SE: 191-197, 256-262 TE: 191A-197B, 256A-262B
c. Use the properties of exponents to transform expressions for exponential functions. <i>For example, the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i>	SE: 11-17, 18-25 TE: 11A-17B, 18A-25B
Arithmetic With Polynomials and Rational Expressions (A.APR)	
Perform arithmetic operations on polynomials. Focus on polynomial expressions that simplify to forms that are linear or quadratic in a positive integer power of x.	
Standard A.APR.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	SE: 47-54, 55-62, 63-68, 69-74, 82, 89-94 TE: 47A-54B, 55A-62B, 63A-68B, 69A-74B, 82-82B, 89A-94B
Creating Equations (A.CED)	
Create equations that describe numbers or relationships. Extend work on linear and exponential equations to quadratic equations.	
Standard A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and simple exponential functions.	SE: 11-17, 18-25, 145-150, 164-169, 176 TE: 11A-17B, 18A-25B, 145A-150B, 164A-169B, 176-176B
Standard A.CED.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	SE: 18-25, 103-109, 145-150, 190 TE: 18A-25B, 103A-109B, 145A-150B, 190-190B
Standard A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's Law $V = IR$ to highlight resistance R .	SE: 198-204, 281-286 TE: 198A-204B, 281A-286B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Reasoning With Equations and Inequalities (A.REI)	
Solve equations and inequalities in one variable.	
Standard A.REI.4 Solve quadratic equations in one variable.	SE: 145-150, 151-157, 164-169, 176, 191-197, 198-204 TE: 145A-150B, 151A-157B, 164A-169B, 176-176B, 191A-197B, 198A-204B
a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.	SE: 191-197, 198-204 TE: 191A-197B, 198A-204B
b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b .	SE: 145-150, 164-169, 191-197, 198-204 TE: 145A-150B, 164A-169B, 191A-197B, 198A-204B
Solve systems of equations. Extend the work of systems to include solving systems consisting of one linear and one nonlinear equation.	
Standard A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. <i>For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.</i>	SE: 170-175, 205-211 TE: 170A-175B, 205A-211B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
FUNCTIONS	
Interpreting Linear and Exponential Functions (F.IF)	
Interpret quadratic functions that arise in applications in terms of a context.	
Standard F.IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.	SE: 26, 27-33, 34-40, 131, 190, 229-235, 236, 237-242, 243-248, 256-262, 263-268 TE: 26-26B, 27A-33B, 34A-40B, 131-131B, 190-190B, 229A-235B, 236-236B, 237A-242B, 243A-248B, 256A-262B
Standard F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.	SE: 27-33, 34-40, 124-130, 256-262 TE: 27A-33B, 34A-40B, 124A-130B, 256A-262B
Standard F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.	SE: 27-33, 34-40, 103-109, 229-235, 237-242, 243-248, 263-268 TE: 27A-33B, 34A-40B, 103A-109B, 229A-235B, 237A-242B, 243A-248B, 263A-268B
Analyze functions using different representations.	
Standard F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.	SE: 27-33, 34-40, 110-116, 117-123, 229-235, 237-242, 243-248, 249-255, 263-268 TE: 27A-33B, 34A-40B, 110A-116B, 117A-123B, 229A-235B, 237A-242B, 243A-248B, 249A-255B, 263A-268B
a. Graph linear functions and show intercepts.	SE: 110-116, 132-138, 205-211 TE: 110A-116B, 132A-138B, 205A-211B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
b. Graph piecewise-defined functions and absolute value functions. Compare and contrast absolute value and piecewise-defined functions with linear, quadratic, and exponential functions. Highlight issues of domain, range, and usefulness when examining piecewise-defined functions.	SE: 26, 27-33, 34-40, 229-235, 237-242, 243-248, 249-255, 263-268 TE: 26-26B, 27A-33B, 34A-40B, 229A-235B, 237A-242B, 243A-248B, 249A-255B, 263A-268B
Standard F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	SE: 117-123, 151-157, 191-197 TE: 117A-123B, 151A-157B, 191A-197B
a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.	SE: 151-157, 191-197 TE: 151A-157B, 191A-197B
b. Use the properties of exponents to interpret expressions for exponential functions. <i>For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$, and classify them as representing exponential growth or decay.</i>	SE: 18-25 TE: 18A-25B
Standard F.IF.9 Compare properties of two functions, each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, compare the growth of two linear functions, or two exponential functions such as $y=3n$ and $y=100 \cdot 2^n$.	SE: 117-123, 249-255 TE: 117A-123B, 249A-255B
Building Linear or Exponential Functions (F.BF)	
Build a function that models a relationship between two quantities.	
Standard F.BF.1 Write a function that describes a relationship between two quantities.	SE: 103-109, 145-150, 229-235, 237-242, 243-248, 249-255 TE: 103A-109B, 145A-150B, 229A-235B, 243A-248B, 249A-255B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
a. Determine an explicit expression, a recursive process, or steps for calculation from a context.	SE: 190, 275-280, 281-286 TE: 190-190B, 275A-280B, 281A-286B
b. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.	SE: 275-280 TE: 275A-280B
Build new functions from existing functions.	
Standard F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, for specific values of k (both positive and negative); find the value of k given the graphs. Relate the vertical translation of a linear function to its y -intercept. Experiment with cases and illustrate an explanation of the effects on the graph using technology.	SE: 103-109, 110-116, 249-255, 263-268, 269-274 TE: 103A-109B, 110A-116B, 249A-255B, 263A-268B, 269A-274B
Linear and Exponential (F.LE)	
Construct and compare linear, quadratic, and exponential models and solve problems	
Standard F.LE.3 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly.	SE: 132-138 TE: 132A-138B
Trigonometric Functions (F.TF)	
Prove and apply trigonometric identities. Limit θ to angles between 0 and 90 degrees. Connect with the Pythagorean Theorem and the distance formula (Standard F.TF.8).	
Standard F.TF.8 Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$, given $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$, and the quadrant of the angle.	SE: 461-470 TE: 461A-470B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
GEOMETRY	
Congruence (G.CO)	
Prove geometric theorems. Encourage multiple ways of writing proofs, such as narrative paragraphs, flow diagrams, two-column format, and diagrams without words. Focus on the validity of the underlying reasoning while exploring a variety of formats for expressing that reasoning.	
Standard G.CO.9 Prove theorems about lines and angles. <i>Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.</i>	SE: 304-310, 311-318, 319-326, 327 TE: 304A-310B, 311A-318B, 319A-326B, 327-327B
Standard G.CO.10 Prove theorems about triangles. <i>Theorems include: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.</i>	SE: 319-326, 327, 328-335, 336-342, 343-348, 343-348, 445-451, 543-549 TE: 319A-326B, 327-327B, 328A-335B, 336A-342B, 343A-348B, 445A-451B, 543A-549B
Standard G.CO.11 Prove theorems about parallelograms. <i>Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.</i>	SE: 374-382, 383-390, 391-397, 398-405, 535-541 TE: 374A-382B, 383A-390B, 391A-397B, 398A-405B, 535A-541B
Similarity, Right Triangles, and Trigonometry (G.SRT)	
Understand similarity in terms of similarity transformations.	
Standard G.SRT.1 Verify experimentally the properties of dilations given by a center and a scale factor.	SE: 413-421 TE: 413A-421B
a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged.	SE: 413-421 TE: 413A-421B
b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	SE: 413-421, 422-428, 444 TE: 413A-421B, 422A-428B, 444-444B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Standard G.SRT.2 Given two figures, use the definition of similarity in terms of similarity transformations to decide whether they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.	SE: 422-428 TE: 422A-428B
Standard G.SRT.3 Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	SE: 429-435 TE: 429A-435B
Prove theorems involving similarity.	
Standard G.SRT.4 Prove theorems about triangles. <i>Theorems include: a line parallel to one side of a triangle divides the other two proportionally and conversely; the Pythagorean Theorem (proved using triangle similarity).</i>	SE: 436-443, 445-451, 452-460 TE: 436A-443B, 445A-451B, 452A-460B
Standard G.SRT.5 Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	SE: 328-335, 357-363, 364, 365-373, 374-382, 383-390, 391-397, 398-405, 429-435, 4444 TE: 328A-335B, 357A-363B, 364-364B, 365A-373B, 374A-382B, 383A-390B, 391A-397B, 398A-405B, 429A-435B, 444-444B
Define trigonometric ratios and solve problems involving right triangles.	
Standard G.SRT.6 Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	SE: 461-470 TE: 461A-470B
Standard G.SRT.7 Explain and use the relationship between the sine and cosine of complementary angles.	SE: 461-470 TE: 461A-470B
Standard G.SRT.8 Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.	SE: 452-460, 461-470 TE: 452A-460B, 461A-470B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Circles (G.C)	
Understand and apply theorems about circles.	
Standard G.C.1 Prove that all circles are similar.	SE: 422-428, 569-576 TE: 422A-428B, 569A-576B
Standard G.C.2 Identify and describe relationships among inscribed angles, radii, and chords. <i>Relationships include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.</i>	SE: 577-584, 585, 586-593, 594-600, 601-608, 629 TE: 577A-584B, 585-585B, 586A-593B, 594A-600B, 601A-608B, 629-629B
Standard G.C.3 Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle.	SE: 319-326, 364 TE: 319A-326B, 364-364B
Standard G.C.4 Construct a tangent line from a point outside a given circle to the circle.	SE: 319-326, 577-584, 585, 629 TE: 319A-326B, 577A-584B, 585-585B, 629-629B
Find arc lengths and areas of sectors of circles. Use this as a basis for introducing the radian as a unit of measure. It is not intended that it be applied to the development of circular trigonometry in this course.	
Standard G.C.5 Derive, using similarity, the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	SE: 569-576 TE: 569-576B
Expressing Geometric Properties With Equations (G.GPE)	
Translate between the geometric description and the equation for a conic section.	
Standard G.GPE.1 Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.	SE: 550-555 TE: 550A-555B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Use coordinates to prove simple geometric theorems algebraically. Include simple proofs involving circles.	
Standard G.GPE.4 Use coordinates to prove simple geometric theorems algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point $(1, \sqrt{3})$ lies on the circle centered at the origin and containing the point $(0, 2)$.	SE: 535-541, 542, 550-555 TE: 535A-541B, 542-542B, 550A-555B
Use coordinates to prove simple geometric theorems algebraically.	
Standard G.GPE.6 Find the point on a directed line segment between two given points that partitions the segment in a given ratio.	SE: 542 TE: 542-542B
Geometric Measurement and Dimension (G.GMD)	
Explain volume formulas and use them to solve problems.	
Standard G.GMD.1 Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. Informal arguments for area formulas can make use of the way in which area scale under similarity transformations: when one figure in the plane results from another by applying a similarity transformation with scale factor k , its area is k^2 times the area of the first. <i>Use dissection arguments, Cavalieri's principle, and informal limit arguments.</i>	SE: 621-628, 630-636 TE: 621A-628B, 630A-636B
Standard G.GMD.3 Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems. Informal arguments for volume formulas can make use of the way in which volume scale under similarity transformations: when one figure results from another by applying a similarity transformation, volumes of solid figures scale by k^3 under a similarity transformation with scale factor k .	SE: 621-628, 630-636, 637-642 TE: 621A-628B, 630A-636B, 637A-642B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
STATISTICS AND PROBABILITY	
Interpreting Categorical and Quantitative Data (S.ID)	
Summarize, represent, and interpret data on two categorical or quantitative variables.	
Standard S.ID.5 Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.	SE: 477-482 TE: 477A-482B
Conditional Probability and the Rules of Probability (S.CP)	
Understand independence and conditional probability and use them to interpret data.	
Standard S.CP.1 Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” “not”).	SE: 483-490 TE: 483A-490B
Standard S.CP.4 Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. <i>For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.</i>	SE: 477-482, 491-497 TE: 477A-482B, 491A-497B
Standard S.CP.5 Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. <i>For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.</i>	SE: 483-490, 491-497 TE: 483A-490B, 491A-497B

**A Correlation of enVision Integrated Mathematics II, ©2019
To The Utah Core State Standards for Mathematics Secondary Mathematics II
For Utah Course # 07080000100**

Utah Core State Standards For Mathematics Secondary Mathematics II	enVision Integrated Mathematics, ©2019 Mathematics II
Use the rules of probability to compute probabilities of compound events in a uniform probability model.	
Standard S.CP.6 Find the conditional probability of A given B as the fraction of B 's outcomes that also belong to A , and interpret the answer in terms of the model.	SE: 491-497 TE: 491A-497B