

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
STANDARD P1: INQUIRY, REFLECTION, AND SOCIAL IMPLICATIONS	
Students will understand the nature of science and demonstrate an ability to practice scientific reasoning by applying it to the design, execution, and evaluation of scientific investigations. Students will demonstrate their understanding that scientific knowledge is gathered through various forms of direct and indirect observations and the testing of this information by methods including, but not limited to, experimentation. They will be able to distinguish between types of scientific knowledge (e.g., hypotheses, laws, theories) and become aware of areas of active research in contrast to conclusions that are part of established scientific consensus. They will use their scientific knowledge to assess the costs, risks, and benefits of technological systems as they make personal choices and participate in public policy decisions. These insights will help them analyze the role science plays in society, technology, and potential career opportunities.	
P1.1 Scientific Inquiry	
Science is a way of understanding nature. Scientific research may begin by generating new scientific questions that can be answered through replicable scientific investigations that are logically developed and conducted systematically. Scientific conclusions and explanations result from careful analysis of empirical evidence and the use of logical reasoning. Some questions in science are addressed through indirect rather than direct observation, evaluating the consistency of new evidence with results predicted by models of natural processes. Results from investigations are communicated in reports that are scrutinized through a peer review process.	
P1.1A Generate new questions that can be investigated in the laboratory or field.	<i>In addition to the activities in the lab manual and the "discover!" activities in the text, the opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 2-4</b>
P1.1B Evaluate the uncertainties or validity of scientific conclusions using an understanding of sources of measurement error, the challenges of controlling variables, accuracy of data analysis, logic of argument, logic of experimental design, and/or the dependence on underlying assumptions.	<i>In addition to the activities in the lab manual and the "discover!" activities in the text, the opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 2-4</b>
P1.1C Conduct scientific investigations using appropriate tools and techniques (e.g., selecting an instrument that measures the desired quantity—length, volume, weight, time interval, temperature—with the appropriate level of precision).	<i>The activities in the lab manual and the "discover!" activities in the text provide the opportunity to address this standard.</i>

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P1.1D Identify patterns in data and relate them to theoretical models.	<i>In addition to the activities in the lab manual and the "discover!" activities in the text, the opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 2-4</b>
P1.1E Describe a reason for a given conclusion using evidence from an investigation.	<i>The activities in the lab manual and the "discover!" activities in the text provide the opportunity to address this standard.</i>
P1.1f Predict what would happen if the variables, methods, or timing of an investigation were changed.	<i>The activities in the lab manual and the "discover!" activities in the text provide the opportunity to address this standard.</i>
P1.1g Based on empirical evidence, explain and critique the reasoning used to draw a scientific conclusion or explanation.	<i>In addition to the activities in the lab manual and the "discover!" activities in the text, the opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 2-4</b>
P1.1h Design and conduct a systematic scientific investigation that tests a hypothesis. Draw conclusions from data presented in charts or tables.	<i>The activities in the lab manual and the "discover!" activities in the text provide the opportunity to address this standard.</i>
P1.1i Distinguish between scientific explanations that are regarded as current scientific consensus and the emerging questions that active researchers investigate.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 2-4</b>

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P1.2 Scientific Reflection and Social Implications	
The integrity of the scientific process depends on scientists and citizens understanding and respecting the "Nature of Science." Openness to new ideas, skepticism, and honesty are attributes required for good scientific practice. Scientists must use logical reasoning during investigation design, analysis, conclusion, and communication. Science can produce critical insights on societal problems from a personal and local scale to a global scale. Science both aids in the development of technology and provides tools for assessing the costs, risks, and benefits of technological systems. Scientific conclusions and arguments play a role in personal choice and public policy decisions. New technology and scientific discoveries have had a major influence in shaping human history. Science and technology continue to offer diverse and significant career opportunities.	
P1.2A Critique whether or not specific questions can be answered through scientific investigations.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 2-4</b>
P1.2B Identify and critique arguments about personal or societal issues based on scientific evidence.	<b>SE/TE: 163, 204, 236, 248, 275, 481, 526, 648, 727, 756</b>
P1.2C Develop an understanding of a scientific concept by accessing information from multiple sources. Evaluate the scientific accuracy and significance of the information.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 163, 204, 236, 248, 275, 481, 526, 648, 727, 756</b>
P1.2D Evaluate scientific explanations in a peer review process or discussion format.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE: 163, 204, 236, 248, 275, 481, 526, 648, 727, 756</b>
P1.2E Evaluate the future career and occupational prospects of science fields.	<b>SE/TE: 69, 180, 243, 254, 269, 333, 350, 441, 461, 498, 502, 560, 614, 705, 732, 754, 798, 815</b>
P1.2f Critique solutions to problems, given criteria and scientific constraints.	<b>SE/TE: 5, 7, 29, 32, 35, 163, 204, 236, 248, 275, 481, 526, 648, 727, 756</b>
P1.2g Identify scientific tradeoffs in design decisions and choose among alternative solutions.	<b>SE/TE: 5, 7, 29, 32, 35, 163, 204, 236, 248, 275, 481, 526, 648, 727, 756</b>
P1.2h Describe the distinctions between scientific theories, laws, hypotheses, and observations.	<b>SE/TE: 2-4</b>

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P1.2i Explain the progression of ideas and explanations that lead to science theories that are part of the current scientific consensus or core knowledge.	<b>SE/TE:</b> 2-5, 7
P1.2j Apply science principles or scientific data to anticipate effects of technological design decisions.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 91, 292, 476, 518, 611, 673, 709, 729, 745, 751, 793, 817
P1.2k Analyze how science and society interact from a historical, political, economic, or social perspective.	<b>SE/TE:</b> 5, 7, 29, 32, 35, 163, 204, 236, 248, 275, 481, 526, 648, 727, 756
<b>STANDARD P2: MOTION OF OBJECTS</b>	
The universe is in a state of constant change. From small particles (electrons) to the large systems (galaxies) all things are in motion. Therefore, for students to understand the universe they must describe and represent various types of motion. Kinematics, the description of motion, always involves measurements of position and time. Students must describe the relationships between these quantities using mathematical statements, graphs, and motion maps. They use these representations as powerful tools to not only describe past motions but also predict future events.	
<b>P2.1 Position — Time</b>	
An object's position can be measured and graphed as a function of time. An object's speed can be calculated and graphed as a function of time.	
P2.1A Calculate the average speed of an object using the change of position and elapsed time.	<b>SE/TE:</b> 49, 61, 62, 64
P2.1B Represent the velocities for linear and circular motion using motion diagrams (arrows on strobe pictures).	<b>SE/TE:</b> 47-59, 64-65, 171-180, 184-187
P2.1C Create line graphs using measured values of position and elapsed time.	<b>SE/TE:</b> 58-59
P2.1D Describe and analyze the motion that a position-time graph represents, given the graph.	<b>SE/TE:</b> 58-59
P2.1E Describe and classify various motions in a plane as one dimensional, two dimensional, circular, or periodic.	<b>SE/TE:</b> 47-60, 68-79, 170-180, 266, 491-492

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P2.1F Distinguish between rotation and revolution and describe and contrast the two speeds of an object like the Earth.	<b>SE/TE:</b> 171
P2.1g Solve problems involving average speed and constant acceleration in one dimension.	<b>SE/TE:</b> 47-59
P2.1h Identify the changes in speed and direction in everyday examples of circular (rotation and revolution), periodic, and projectile motions.	<b>SE/TE:</b> 68, 73-79, 170-180, 491-492
<b>P2.2 Velocity — Time</b>	
The motion of an object can be described by its position and velocity as functions of time and by its average speed and average acceleration during intervals of time.	
P2.2A Distinguish between the variables of distance, displacement, speed, velocity, and acceleration.	<b>SE/TE:</b> 47-56
P2.2B Use the change of speed and elapsed time to calculate the average acceleration for linear motion.	<b>SE/TE:</b> 48-59
P2.2C Describe and analyze the motion that a velocity-time graph represents, given the graph.	<b>SE/TE:</b> 57
P2.2D State that uniform circular motion involves acceleration without a change in speed.	<b>SE/TE:</b> 171-180
P2.2e Use the area under a velocity-time graph to calculate the distance traveled and the slope to calculate the acceleration.	<b>SE/TE:</b> 57-58
P2.2f Describe the relationship between changes in position, velocity, and acceleration during periodic motion.	<b>SE/TE:</b> 266, 491-492
P2.2g Apply the independence of the vertical and horizontal initial velocities to solve projectile motion problems.	<b>SE/TE:</b> 68-79, 80-85

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P2.3x Frames of Reference	
All motion is relative to whatever frame of reference is chosen, for there is no motionless frame from which to judge all motion.	
P2.3a Describe and compare the motion of an object using different reference frames.	<b>SE/TE:</b> 13-22, 34, 38-39, 47-56, 73-79, 171-180
<b>STANDARD P3: FORCES AND MOTION</b>	
Students identify interactions between objects either as being by direct contact (e.g., pushes or pulls, friction) or at a distance (e.g., gravity, electromagnetism), and to use forces to describe interactions between objects. They recognize that non-zero net forces always cause changes in motion (Newton's first law). These changes can be changes in speed, direction, or both. Students use Newton's second law to summarize relationships among and solve problems involving net forces, masses, and changes in motion (using standard metric units). They explain that whenever one object exerts a force on another, a force equal in magnitude and opposite in direction is exerted back on it (Newton's third law).	
P3.1 Basic Forces in Nature	
Objects can interact with each other by "direct contact" (e.g., pushes or pulls, friction) or at a distance (e.g., gravity, electromagnetism, nuclear).	
P3.1A Identify the force(s) acting between objects in "direct contact" or at a distance.	<b>SE/TE:</b> 13-22, 90-97, 145-146, 155-160, 175-180, 366-368, 645-646, 721
P3.1x Forces	
There are four basic forces (gravitational, electromagnetic, strong, and weak nuclear) that differ greatly in magnitude and range. Between any two charged particles, electric force is vastly greater than the gravitational force. Most observable forces (e.g., those exerted by a coiled spring or friction) may be traced to electric forces acting between atoms and molecules.	
P3.1b Explain why scientists can ignore the gravitational force when measuring the net force between two electrons.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 334-335, 571, 645
P3.1c Provide examples that illustrate the importance of the electric force in everyday life.	<b>SE/TE:</b> 651-657, 688-694, 703-712
P3.1d Identify the basic forces in everyday interactions.	<b>SE/TE:</b> 13-22, 90-97, 145-146, 155-160, 175-180, 366-368, 645-646, 721

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P3.2 Net Forces	
Forces have magnitude and direction. The net force on an object is the sum of all the forces acting on the object. Objects change their speed and/or direction only when a net force is applied. If the net force on an object is zero, there is no change in motion (Newton's First Law).	
P3.2A Identify the magnitude and direction of everyday forces (e.g., wind, tension in ropes, pushes and pulls, weight).	<b>SE/TE:</b> 13-22, 70-79
P3.2B Compare work done in different situations.	<b>SE/TE:</b> 145-163
P3.2C Calculate the net force acting on an object.	<b>SE/TE:</b> 13-19, 88
P3.2d Calculate all the forces on an object on an inclined plane and describe the object's motion based on the forces using free-body diagrams.	<b>SE/TE:</b> 53-56, 158-159
P3.3 Newton's Third Law	
Whenever one object exerts a force on another object, a force equal in magnitude and opposite in direction is exerted back on the first object.	
P3.3A Identify the action and reaction force from examples of forces in everyday situations (e.g., book on a table, walking across the floor, pushing open a door).	<b>SE/TE:</b> 106-116
P3.3b Predict how the change in velocity of a small mass compares to the change in velocity of a large mass when the objects interact (e.g., collide).	<b>SE/TE:</b> 132-134
P3.3c Explain the recoil of a projectile launcher in terms of forces and masses.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 73-79
P3.3d Analyze why seat belts may be more important in autos than in buses.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 124-136

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P3.4 Forces and Acceleration	
The change of speed and/or direction (acceleration) of an object is proportional to the net force and inversely proportional to the mass of the object. The acceleration and net force are always in the same direction.	
P3.4A Predict the change in motion of an object acted on by several forces.	<b>SE/TE:</b> 87-97, 125-136
P3.4B Identify forces acting on objects moving with constant velocity (e.g., cars on a highway).	<b>SE/TE:</b> 50, 91-97, 125-131
P3.4C Solve problems involving force, mass, and acceleration in linear motion (Newton's second law).	<b>SE/TE:</b> 86-97, 98-103
P3.4D Identify the force(s) acting on objects moving with uniform circular motion (e.g., a car on a circular track, satellites in orbit).	<b>SE/TE:</b> 170-180, 265-267
P3.4e Solve problems involving force, mass, and acceleration in two-dimensional projectile motion restricted to an initial horizontal velocity with no initial vertical velocity (e.g., ball rolling off a table).	<b>SE/TE:</b> 73-79
P3.4f Calculate the changes in velocity of a thrown or hit object during and after the time it is acted on by the force.	<b>SE/TE:</b> 73-79
P3.4g Explain how the time of impact can affect the net force (e.g., air bags in cars, catching a ball).	<b>SE/TE:</b> 125-136
P3.5x Momentum	
A moving object has a quantity of motion (momentum) that depends on its velocity and mass. In interactions between objects, the total momentum of the objects does not change.	
P3.5a Apply conservation of momentum to solve simple collision problems.	<b>SE/TE:</b> 125-136

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P3.6 Gravitational Interactions	
Gravitation is a universal attractive force that a mass exerts on every other mass. The strength of the gravitational force between two masses is proportional to the masses and inversely proportional to the square of the distance between them.	
P3.6A Explain earth-moon interactions (orbital motion) in terms of forces.	<b>SE/TE:</b> 233-236, 246-248
P3.6B Predict how the gravitational force between objects changes when the distance between them changes.	<b>SE/TE:</b> 237-241, 244-246
P3.6C Explain how your weight on Earth could be different from your weight on another planet.	<b>SE/TE:</b> 245-246
P3.6d Calculate force, masses, or distance, given any three of these quantities, by applying the Law of Universal Gravitation, given the value of G.	<b>SE/TE:</b> 237-239
P3.6e Draw arrows (vectors) to represent how the direction and magnitude of a force changes on an object in an elliptical orbit.	<b>SE/TE:</b> 267-270
P3.7 Electric Charges	
Electric force exists between any two charged objects. Oppositely charged objects attract, while objects with like charge repel. The strength of the electric force between two charged objects is proportional to the magnitudes of the charges and inversely proportional to the square of the distance between them (Coulomb's Law).	
P3.7A Predict how the electric force between charged objects varies when the distance between them and/or the magnitude of charges change.	<b>SE/TE:</b> 648-649, 665-674
P3.7B Explain why acquiring a large excess static charge (e.g., pulling off a wool cap, touching a Van de Graaff generator, combing) affects your hair.	<b>SE/TE:</b> 652-657, 673-674

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P3.7x Electric Charges — Interactions	
Charged objects can attract electrically neutral objects by induction.	
P3.7c Draw the redistribution of electric charges on a neutral object when a charged object is brought near.	<b>SE/TE:</b> 645-657
P3.7d Identify examples of induced static charges.	<b>SE/TE:</b> 647, 652-657, 671
P3.7e Explain why an attractive force results from bringing a charged object near a neutral object.	<b>SE/TE:</b> 652-657
P3.7f Determine the new electric force on charged objects after they touch and are then separated.	<b>SE/TE:</b> 653-657
P3.7g Propose a mechanism based on electric forces to explain current flow in an electric circuit.	<b>SE/TE:</b> 681-694, 703-712
P3.p8 Magnetic Force (prerequisite)	
Magnets exert forces on all objects made of ferromagnetic materials (e.g., iron, cobalt, and nickel) as well as other magnets. This force acts at a distance. Magnetic fields accompany magnets and are related to the strength and direction of the magnetic force. (prerequisite)	
P3.p8A Create a representation of magnetic field lines around a bar magnet and qualitatively describe how the relative strength and direction of the magnetic force changes at various places in the field. (prerequisite)	<b>SE/TE:</b> 721-733
P3.8x Electromagnetic Force	
Magnetic and electric forces are two aspects of a single electromagnetic force. Moving electric charges produce magnetic forces and moving magnets produce electric forces (e.g., electric current in a conductor).	
P3.8b Explain how the interaction of electric and magnetic forces is the basis for electric motors, generators, and the production of electromagnetic waves.	<b>SE/TE:</b> 741-756

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
<b>STANDARD P4: FORMS OF ENERGY AND ENERGY TRANSFORMATIONS</b>	
Energy is a useful conceptual system for explaining how the universe works and accounting for changes in matter. Energy is not a “thing.” Students develop several energy-related ideas: First, they keep track of energy during transfers and transformations, and account for changes using energy conservation. Second, they identify places where energy is apparently lost during a transformation process, but is actually spread around to the environment as thermal energy and therefore not easily recoverable. Third, they identify the means of energy transfers: collisions between particles, or waves.	
<b>P4.1 Energy Transfer</b>	
Moving objects and waves transfer energy from one location to another. They also transfer energy to objects during interactions (e.g., sunlight transfers energy to the ground when it warms the ground; sunlight also transfers energy from the Sun to the Earth).	
P4.1A Account for and represent energy into and out of systems using energy transfer diagrams.	<b>SE/TE:</b> 153, 436, 442-443, 460
P4.1B Explain instances of energy transfer by waves and objects in everyday activities (e.g., why the ground gets warm during the day, how you hear a distant sound, why it hurts when you are hit by a baseball).	<b>SE/TE:</b> 431-443, 493-506, 515-518, 536-541
<b>P4.1x Energy Transfer — Work</b>	
Work is the amount of energy transferred during an interaction. In mechanical systems, work is the amount of energy transferred as an object is moved through a distance, $W = F d$ , where $d$ is in the same direction as $F$ . The total work done on an object depends on the net force acting on the object and the object’s displacement.	
P4.1c Explain why work has a more precise scientific meaning than the meaning of work in everyday language.	<b>SE/TE:</b> 145-146
P4.1d Calculate the amount of work done on an object that is moved from one position to another.	<b>SE/TE:</b> 151-152
P4.1e Using the formula for work, derive a formula for change in potential energy of an object lifted a distance $h$ .	<b>SE/TE:</b> 151-152, 155-157

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.2 Energy Transformation	
Energy is often transformed from one form to another. The amount of energy before a transformation is equal to the amount of energy after the transformation. In most energy transformations, some energy is converted to thermal energy.	
P4.2A Account for and represent energy transfer and transformation in complex processes (interactions).	<b>SE/TE:</b> 153-162, 305-306, 431-443, 451-461
P4.2B Name devices that transform specific types of energy into other types (e.g., a device that transforms electricity into motion).	<b>SE/TE:</b> 161-162, 305-306, 470-481, 691-694, 703-712
P4.2C Explain how energy is conserved in common systems (e.g., light incident on a transparent material, light incident on a leaf, mechanical energy in a collision).	<b>SE/TE:</b> 153-154, 470-478, 537-546, 582-583
P4.2D Explain why all the stored energy in gasoline does not transform to mechanical energy of a vehicle.	<b>SE/TE:</b> 159-160
P4.2e Explain the energy transformation as an object (e.g., skydiver) falls at a steady velocity.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 53-56
P4.2f Identify and label the energy inputs, transformations, and outputs using qualitative or quantitative representations in simple technological systems (e.g., toaster, motor, hair dryer) to show energy conservation.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 153-154, 470-478, 680-694
P4.3 Kinetic and Potential Energy	
Moving objects have kinetic energy. Objects experiencing a force may have potential energy due to their relative positions (e.g., lifting an object or stretching a spring, energy stored in chemical bonds). Conversions between kinetic and gravitational potential energy are common in moving objects. In frictionless systems, the decrease in gravitational potential energy is equal to the increase in kinetic energy or vice versa.	
P4.3A Identify the form of energy in given situations (e.g., moving objects, stretched springs, rocks on cliffs, energy in food).	<b>SE/TE:</b> 145-162

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.3B Describe the transformation between potential and kinetic energy in simple mechanical systems (e.g., pendulums, roller coasters, ski lifts).	<b>SE/TE:</b> 145-162, 491
P4.3C Explain why all mechanical systems require an external energy source to maintain their motion.	<b>SE/TE:</b> 145-150, 153-154
P4.3x Kinetic and Potential Energy — Calculations	
The kinetic energy of an object is related to the mass of an object and its speed: $KE = 1/2 mv^2$ .	
P4.3d Rank the amount of kinetic energy from highest to lowest of everyday examples of moving objects.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 145-162
P4.3e Calculate the changes in kinetic and potential energy in simple mechanical systems (e.g., pendulums, roller coasters, ski lifts) using the formulas for kinetic energy and potential energy.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 148-160, 491
P4.3f Calculate the impact speed (ignoring air resistance) of an object dropped from a specific height or the maximum height reached by an object (ignoring air resistance), given the initial vertical velocity.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 53-56, 93-97
P4.4 Wave Characteristics	
Waves (mechanical and electromagnetic) are described by their wavelength, amplitude, frequency, and speed.	
P4.4A Describe specific mechanical waves (e.g., on a demonstration spring, on the ocean) in terms of wavelength, amplitude, frequency, and speed.	<b>SE/TE:</b> 491-506
P4.4B Identify everyday examples of transverse and compression (longitudinal) waves.	<b>SE/TE:</b> 497-498, 515-516
P4.4C Compare and contrast transverse and compression (longitudinal) waves in terms of wavelength, amplitude, and frequency.	<b>SE/TE:</b> 491-498

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.4x Wave Characteristics — Calculations	
Wave velocity, wavelength, and frequency are related by $v = \lambda f$ . The energy transferred by a wave is proportional to the square of the amplitude of vibration and its frequency.	
P4.4d Demonstrate that frequency and wavelength of a wave are inversely proportional in a given medium.	<b>SE/TE:</b> 492-506, 515-517
P4.4e Calculate the amount of energy transferred by transverse or compression waves of different amplitudes and frequencies (e.g., seismic waves).	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 491-497
P4.5 Mechanical Wave Propagation	
Vibrations in matter initiate mechanical waves (e.g., water waves, sound waves, seismic waves), which may propagate in all directions and decrease in intensity in proportion to the distance squared for a point source. Waves transfer energy from one place to another without transferring mass.	
P4.5A Identify everyday examples of energy transfer by waves and their sources.	<b>SE/TE:</b> 491-506, 515-526, 532-533, 633-636
P4.5B Explain why an object (e.g., fishing bobber) does not move forward as a wave passes under it.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 493-494
P4.5C Provide evidence to support the claim that sound is energy transferred by a wave, not energy transferred by particles.	<b>SE/TE:</b> 514-526
P4.5D Explain how waves propagate from vibrating sources and why the intensity decreases with the square of the distance from a point source.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 491-494, 515, 753
P4.5E Explain why everyone in a classroom can hear one person speaking, but why an amplification system is often used in the rear of a large concert auditorium.	<b>SE/TE:</b> 522-523

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.6 Electromagnetic Waves	
Electromagnetic waves (e.g., radio, microwave, infrared, visible light, ultraviolet, x-ray) are produced by changing the motion (acceleration) of charges or by changing magnetic fields. Electromagnetic waves can travel through matter, but they do not require a material medium. (That is, they also travel through empty space.) All electromagnetic waves move in a vacuum at the speed of light. Types of electromagnetic radiation are distinguished from each other by their wavelength and energy.	
P4.6A Identify the different regions on the electromagnetic spectrum and compare them in terms of wavelength, frequency, and energy.	<b>SE/TE:</b> 436, 536,
P4.6B Explain why radio waves can travel through space, but sound waves cannot.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 515-517
P4.6C Explain why there is a delay between the time we send a radio message to astronauts on the moon and when they receive it.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 436, 536, 626
P4.6D Explain why we see a distant event before we hear it (e.g., lightning before thunder, exploding fireworks before the boom).	<b>SE/TE:</b> 518
P4.6x Electromagnetic Propagation	
Modulated electromagnetic waves can transfer information from one place to another (e.g., televisions, radios, telephones, computers and other information technology devices). Digital communication makes more efficient use of the limited electromagnetic spectrum, is more accurate than analog transmission, and can be encrypted to provide privacy and security.	
P4.6e Explain why antennas are needed for radio, television, and cell phone transmission and reception.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 436, 536, 626
P4.6f Explain how radio waves are modified to send information in radio and television programs, radio-control cars, cell phone conversations, and GPS systems.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 436, 536, 626
P4.6g Explain how different electromagnetic signals (e.g., radio station broadcasts or cell phone conversations) can take place without interfering with each other.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 436, 536, 626

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.6h Explain the relationship between the frequency of an electromagnetic wave and its technological uses.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 436, 536, 626
P4.r7x Quantum Theory of Waves (recommended)	
Electromagnetic energy is transferred on the atomic scale in discrete amounts called quanta. The equation $E = hf$ quantifies the relationship between the energy transferred and the frequency, where $h$ is Planck's constant. (recommended)	
P4.r7a Calculate and compare the energy in various electromagnetic quanta (e.g., visible light, x-rays). (recommended)	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 436, 536, 626
P4.8 Wave Behavior — Reflection and Refraction	
The laws of reflection and refraction describe the relationships between incident and reflected/refracted waves.	
P4.8A Draw ray diagrams to indicate how light reflects off objects or refracts into transparent media.	<b>SE/TE:</b> 578-583, 587-590
P4.8B Predict the path of reflected light from flat, curved, or rough surfaces (e.g., flat and curved mirrors, painted walls, paper).	<b>SE/TE:</b> 580-583
P4.8x Wave Behavior — Diffraction, Interference, and Refraction	
Waves can bend around objects (diffraction). They also superimpose on each other and continue their propagation without a change in their original properties (interference). When refracted, light follows a defined path.	
P4.8c Describe how two wave pulses propagated from opposite ends of a demonstration spring interact as they meet.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 628-636
P4.8d List and analyze everyday examples that demonstrate the interference characteristics of waves (e.g., dead spots in an auditorium, whispering galleries, colors in a CD, beetle wings).	<b>SE/TE:</b> 628-636

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.8e Given an angle of incidence and indices of refraction of two materials, calculate the path of a light ray incident on the boundary (Snell's Law).	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 584-590
P4.8f Explain how Snell's Law is used to design lenses (e.g., eye glasses, microscopes, telescopes, binoculars).	<b>SE/TE:</b> 603-616
P4.9 Nature of Light	
Light interacts with matter by reflection, absorption, or transmission.	
P4.9A Identify the principle involved when you see a transparent object (e.g., straw, piece of glass) in a clear liquid.	<b>SE/TE:</b> 587-588
P4.9B Explain how various materials reflect, absorb, or transmit light in different ways.	<b>SE/TE:</b> 537-539, 542-546, 556-558, 562-571, 580-583, 591-595
P4.9C Explain why the image of the Sun appears reddish at sunrise and sunset.	<b>SE/TE:</b> 568-569
P4.r9x Nature of Light — Wave-Particle Nature (recommended)	
The dual wave-particle nature of matter and light is the foundation for modern physics. (recommended)	
P4.r9d Describe evidence that supports the dual wave - particle nature of light. (recommended)	<b>SE/TE:</b> 533-536, 767-771
P4.10 Current Electricity — Circuits	
Current electricity is described as movement of charges. It is a particularly useful form of energy because it can be easily transferred from place to place and readily transformed by various devices into other forms of energy (e.g., light, heat, sound, and motion). Electrical current (amperage) in a circuit is determined by the potential difference (voltage) of the power source and the resistance of the loads in the circuit.	
P4.10A Describe the energy transformations when electrical energy is produced and transferred to homes and businesses.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 665-674, 681-694, 703-712
P4.10B Identify common household devices that transform electrical energy to other forms of energy, and describe the type of energy transformation.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 665-674, 681-694, 703-712

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.10C Given diagrams of many different possible connections of electric circuit elements, identify complete circuits, open circuits, and short circuits and explain the reasons for the classification.	<b>SE/TE:</b> 703-712, 713-719
P4.10D Discriminate between voltage, resistance, and current as they apply to an electric circuit.	<b>SE/TE:</b> 681-693
P4.10x Current Electricity — Ohm’s Law, Work, and Power	
In circuits, the relationship between electric current, $I$ , electric potential difference, $V$ , and resistance, $R$ , is quantified by $V = I R$ (Ohm’s Law). Work is the amount of energy transferred during an interaction. In electrical systems, work is done when charges are moved through the circuit. Electric power is the amount of work done by an electric current in a unit of time, which can be calculated using $P = I V$ .	
P4.10e Explain energy transfer in a circuit, using an electrical charge model.	<b>SE/TE:</b> 691-694, 702-712
P4.10f Calculate the amount of work done when a charge moves through a potential difference, $V$ .	<b>SE/TE:</b> 681-683
P4.10g Compare the currents, voltages, and power in parallel and series circuits.	<b>SE/TE:</b> 705-712
P4.10h Explain how circuit breakers and fuses protect household appliances.	<b>SE/TE:</b> 712
P4.10i Compare the energy used in one day by common household appliances (e.g., refrigerator, lamps, hair dryer, toaster, televisions, music players).	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 694
P4.10j Explain the difference between electric power and electric energy as used in bills from an electric company.	<b>SE/TE:</b> 693-694

**Prentice Hall Conceptual Physics (Hewitt) © 2009**  
**Correlated to:**  
**Michigan High School Content Expectations – Physics**  
**(High School)**

<b>MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS</b>	<b>PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))</b>
P4.11x Heat, Temperature, and Efficiency	
Heat is often produced as a by-product during energy transformations. This energy is transferred into the surroundings and is not usually recoverable as a useful form of energy. The efficiency of systems is defined as the ratio of the useful energy output to the total energy input. The efficiency of natural and human-made systems varies due to the amount of heat that is not recovered as useful work.	
P4.11a Calculate the energy lost to surroundings when water in a home water heater is heated from room temperature to the temperature necessary to use in a dishwasher, given the efficiency of the home hot water heater.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 153-154, 408-414
P4.11b Calculate the final temperature of two liquids (same or different materials) at the same or different temperatures and masses that are combined.	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 409-410
P4.12 Nuclear Reactions	
Changes in atomic nuclei can occur through three processes: fission, fusion, and radioactive decay. Fission and fusion can convert small amounts of matter into large amounts of energy. Fission is the splitting of a large nucleus into smaller nuclei at extremely high temperature and pressure. Fusion is the combination of smaller nuclei into a large nucleus and is responsible for the energy of the Sun and other stars. Radioactive decay occurs naturally in the Earth's crust (rocks, minerals) and can be used in technological applications (e.g., medical diagnosis and treatment).	
P4.12A Describe peaceful technological applications of nuclear fission and radioactive decay.	<b>SE/TE:</b> 793, 796-801, 812-813, 816
P4.12B Describe possible problems caused by exposure to prolonged radioactive decay.	<b>SE/TE:</b> 800-801, 815
P4.12C Explain how stars, including our Sun, produce huge amounts of energy (e.g., visible, infrared, ultraviolet light).	<i>The opportunity to address this standard is found on the following pages:</i> <b>SE/TE:</b> 437, 536, 753-755

Prentice Hall Conceptual Physics (Hewitt) © 2009  
 Correlated to:  
 Michigan High School Content Expectations – Physics  
 (High School)

MICHIGAN HIGH SCHOOL CONTENT EXPECTATIONS - PHYSICS	PAGE(S) WHERE TAUGHT (If submission is not a book, cite appropriate location(s))
P4.12x Mass and Energy	
In nuclear reactions, a small amount of mass is converted to a large amount of energy, $E = mc^2$ , where $c$ is the speed of light in a vacuum. The amount of energy before and after nuclear reactions must consider mass changes as part of the energy transformation.	
P4.12d Identify the source of energy in fission and fusion nuclear reactions.	<b>SE/TE:</b> 817-824