




A Correlation of

Integrated CME Project Mathematics I-III

©2013



To the

North Carolina High School Mathematics Math II

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics – Math II**

Introduction

This document demonstrates how *Integrated CME Project, Mathematics I-III ©2013* meets the standards of the North Carolina High School Mathematics–Math II. Correlation references are to the pages within the Student and Teacher Editions.

The *Integrated CME Project* is an NSF-funded core mathematics program that was built for the Integrated Pathway of the Common Core State Standards. It includes content from algebra, geometry, as well as precalculus concepts. The program’s proven-effective pedagogy provides the focus, coherence, and rigor necessary to ensure today’s students master the challenging new Common Core State Standards. The program also incorporates technology and hands-on projects and activities to engage today’s digital students in deep mathematical learning.

Integrated CME Content includes Mathematics I, Mathematics II, and Mathematics III. Each course is focused on big ideas. *Integrated CME Project* is organized by coherent chapters. Chapters are comprised of investigation. Each Investigation is then composed of 3-6 lessons. The basic mathematics of each Investigation is accessible to all, and each Investigation can ultimately challenge the best students. The students work from a more informal to formal understanding of the mathematical topic explored in that particular chapter. The Investigation wrap-up, called Mathematical Reflections, provides an opportunity to review and summarize at the end of the chapter—good preparation for the Next-Generation assessments that will require students to justify their conclusions and mathematical understandings in writing. A Chapter Project extends student understanding by presenting challenges and highlighting connections to additional topics—projects are great preparation for performance tasks that will be on the upcoming Next-Generation assessments.

This document demonstrates the high degree of success students will achieve by using *Pearson Integrated CME Project Mathematics I-III*.

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics – Math II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
The Real Number System N-RN	
Extend the properties of exponents to rational exponents.	
N-RN.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.	<p>Mathematics II SE/TE: 16-20, 50 (Example 1), 53 (#14), 54-56, 57 (#9, 13), 58 (#16), 59 (#2, 5), 60 (#6)</p> <p>Mathematics III SE/TE: 659 (#1)</p>
Quantities N-Q	
Reason quantitatively and use units to solve problems.	
N-Q.1 Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.	<p>Mathematics I SE/TE: 174 (#3), 175, 210, 211 (#2), 231 (#1), 232 (#10-11), 257 (#1), 253-256, 257 (#1), 258-260, 261 (#16), 292-293, 343 (#1-2), 368 (#1), 369, 370 (#6-10), 488-489, 491 (#1, 3-4), 492 (#6-8), 494 (#12), 524 (#6), 525 (#8-9), 540 (#5-6), 541 (#11), 542 (#12), 549 (#10-12)</p> <p>Mathematics II SE/TE: 19 (#7-9), 98 (#10), 189 (#4), 190 (#5-7), 329 (#7), 331 (#13-15), 507 (#10-12), 533-535, 538-540, 541 (#7-8), 625 (#6-8), 630-634, 638 (#2), 639 (#4, 6), 645-646, 651 (#1-3, 7), 759 (#21), 763-768</p> <p>Mathematics III SE/TE: 87-90, 100-102, 215-217, 273-274, 275 (#6), 277-283, 284 (#5), 286 (#15), 287-290, 292 (#14), 293 (#1), 572-576, 618 (#2-3), 620 (#12-13, 15), 621, 633-640, 642-647, 648-656</p>
N-Q.2 Define appropriate quantities for the purpose of descriptive modeling.	<p>Mathematics I SE/TE: 253-256, 257 (#1), 258-261, 368 (#1), 369, 370 (#6-10), 536-538, 539-542, 543-545, 549 (#10-12)</p> <p>Mathematics II SE/TE: 608-612, 613, 623-625, 626-627, 645-649</p> <p>Mathematics III SE/TE: 273-274, 275 (#6), 284 (#5), 286 (#15), 292 (#14), 293 (#1), 572-576, 762-767</p>

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
<p>N-Q.3 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.</p>	<p>Mathematics I SE/TE: 488-490, 491-494, 495-499, 500-502, 503-506, 507-510, 511-514, 515-518, 519 (#12, 14-15), 523-524, 525 (#7-10), 528-531, 532-534, 535 (#10), 536-538, 539-541, 542 (#12), 543-545, 546-548, 549 (#9-10), 575, 576 (#11-13)</p> <p>Mathematics II SE/TE: 630-634, 641, 642-644, 645</p> <p>Mathematics III SE/TE: 247-251, 572-576</p>
<p>Seeing Structure in Expressions</p>	<p align="right">A-SSE</p>
<p>Interpret the structure of expressions.</p>	
<p>A-SSE.1 Interpret expressions that represent a quantity in terms of its context.</p>	<p>Mathematics I SE/TE: 93-97, 98-99, 100, 101 (#7), 102 (#11), 112, 113 (#8), 114 (#10), 279-281, 282 (#7-8, 10), 283 (#11, 13, 15)</p> <p>Mathematics II SE/TE: 65-67, 68-71, 72-73, 74 (#13), 89-91, 99-101, 102-104, 105-109, 117-120, 121 (#1-3, 5), 122-124, 167-169, 170-171, 324-327, 328-331</p> <p>Mathematics III SE/TE: 11 (#10), 22 (#7), 23 (#13-14), 24, 33-34, 39 (#5-6), 40 (#10), 45-46, 49-50, 53-54, 55-59, 60-61, 62-66, 67-68, 87-90, 95-97, 98-99, 107-109, 110-111, 127-128, 129, 408-411, 412 (#7-13), 413 (#18-19), 424-428, 429-431, 432-436, 437-440, 456-460, 572-576, 577-580, Honors Appendix: 804-809, 810-815</p>
<p>a. Interpret parts of an expression, such as terms, factors, and coefficients.</p>	<p>Mathematics II SE/TE: 65 (#1), 67 (#13, 15), 68-71, 72, 73 (#6-8), 74 (#14-16), 89 (#3), 90 (#8), 91 (#11, 14), 99-101, 102-104, 105-109, 117-120, 121 (#1-3, 5), 122, 123 (#13, 15, 17), 124</p> <p>Also, for related content, please see: Mathematics I SE/TE: 104</p> <p>Mathematics III SE/TE: 56</p>

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
<p>b. Interpret complicated expressions by viewing one or more of their parts as a single entity. <i>For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P.</i></p>	<p>Mathematics I SE/TE: 103-105, 108 (#9-10), 113 (#5-7), 279-283</p> <p>Mathematics II SE/TE: 81, 83 (#2), 84 (#5), 125-129, 130-132, 167-169, 170-171</p> <p>Mathematics III SE/TE: 11 (#11-13), 17-21, 23-24, 45, 46 (#13-15, 18), 50 (#5, 7, 12), 67, 53 (#3), 60 (#2), 71 (#1, 6), 72 (#10), 110-111, 412 (#7), Honors Appendix: 814-815</p>
<p>Note: At this level include polynomial expressions</p>	
<p>A-SSE.2 Use the structure of an expression to identify ways to rewrite it. <i>For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.</i></p>	<p>Mathematics I SE/TE: 103-105, 107 (#4), 172-173, 174-177, 279-281, 282)#8, 10), 283 (#11)</p> <p>Mathematics II SE/TE: 35 (#2), 36, 37-38, 39-41, 42-43, 44-45, 46 (#13-16), 54-57, 65 (#1), 66 (#6), 67 (#13, 15), 68-71, 72-74, 75-78, 79, 80 (#11-12), 113, 116 (311, 14-15), 117-119, 121, 122-124, 125-129, 130-132, 133-138, 139 (#3, 5-7), 140-141, 216-221, 222-226</p> <p>Mathematics III SE/TE: 49, 50 (#5, 12), 51-53, 55-61, 62-68, 73 (#1-3), Honors Appendix: 814-815</p>
<p>Write expressions in equivalent forms to solve problems.</p>	
<p>A-SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p>	<p>Mathematics I SE/TE: 113 (#5-7), 411 (#4), 412 (#10, 12-13), 458-459, 460-461</p> <p>Mathematics II SE/TE: 36 (#6-7), 37-38, 39 (#1, 6-7), 40 (#13-14, 16), 41 (#22), 42-44, 45 (#11), 46 (#13-15), 54-56, 58 (#16), 65 (#1), 66 (#6), 67 (#10), 70-71, 75-78, 79 (#3), 80 (#12), 81, 83 (#2), 84-86, 117-120, 121 (#1), 122 (#10), 124 (#25), 125-129, 131 (#7-8), 133-138, 139 (#7)</p> <p>Mathematics III SE/TE: 40 (#17), 45, 51-54, 60-61, 67-68, 69, 71 (#1, 6), 72 (#10), 507-509, 510-519, 520-528, 529-536, 627-632, 633-640, 644-647, 803 (#13, 17)</p>

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
<p>c. Use the properties of exponents to transform expressions for exponential functions. <i>For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</i></p>	<p>Mathematics I SE/TE: 456-461, 464</p> <p>Mathematics II SE/TE: 314 (#13), 316-318, 321 (#5, 9), 322 (#16), 323 (#21), 326-327, 329 (#7), 331 (#14), 333 (#5)</p> <p>Mathematics III SE/TE: 575, 576 (#7-8), 598 (#13), 605 (#7), 607 (#13-14)</p>
Arithmetic with Polynomials & Rational Expressions	
Perform arithmetic operations on polynomials.	
A-APR.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	<p>Mathematics II SE/TE: 92-97, 105-109</p> <p>Mathematics III SE/TE: 6-8, 9 (#9), 11 (#10)</p>
<i>Note: At this level, add and subtract any polynomial and extend multiplication to as many as three linear expressions.</i>	
Understand the relationship between zeros and factors of polynomials.	
A-APR.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	<p>Mathematics II SE/TE: 75-80, 117-118, 123 (#13), 124 (#23), 125-128, 130 (#3), 133, 138 (#1), 139 (#5), 141 (#14, 19), 159, 160 (#5), 161 (#27), 171 (#11), 193, 195, 197 (#1), 199 (#8)</p> <p>Mathematics III SE/TE: 41-46, 51-54, 55-61, 507-509, 514-515</p>
<i>Note: At this level, limit to quadratic expressions.</i>	

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
Creating Equations A-CED	
Create equations that describe numbers or relationships.	
<p>A-CED.1 Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p>	<p>Mathematics I SE/TE: 136 (#9), 141 (#10), 159 (#1), 162-166, 167-171, 321 (#1-2), 322 (#8), 329, 331, 336 (#15), 366-370, 371 (#11, 13), 450 (#1-2), 451 (#3), 452 (#5, 8), 453 (#9), 454 (#11), 456 (#7), 525 (#10)</p> <p>Mathematics II SE/TE: 98 (#10), 123 (#12), 162-165, 175, 176 (#4), 182 (#8, 10), 189 (#4), 190 (#5-7), 322 (#13), 329 (#7), 331 (#13-15)</p> <p>Mathematics III SE/TE: 11 (#10)</p>
<i>Note: At this level extend to quadratic and inverse variation (the simplest rational) functions and use common logs to solve exponential equations.</i>	
<p>A-CED.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	<p>Mathematics I SE/TE: 172-177, 178, 195-199, 200-207, 222 (#4-5), 240 (#16), 241 (#3-4)</p> <p>Mathematics II SE/TE: 175, 176 (#4)</p> <p>Mathematics III SE/TE: 16 (#14-15), 523-526, 527 (#13-14), 528 (#20), 537-542, 662-667</p>
<i>Note: At this level extend to simple trigonometric equations that involve right triangle trigonometry.</i>	
<p>A-CED.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context. <i>For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</i></p>	<p>Mathematics I SE/TE: 148-152, 172-177, 200-202, 203, 204 (#5-6), 265 (#11), 289-291, 292 (#1-2), 293 (#4-10), 304 (#1, 3), 305 (#4, 5), 306 (#9-10), 307 (#13), 311 (#10-12), 321, 322 (#8), 323 (#10-12), 329-332, 333 (#4-6), 334 (#10-11), 335</p> <p>Mathematics II SE/TE: 73 (#9-12), 74 (#13), 79 (#7), 84 (#7-8), 175, 176 (#4), 182 (#8, 10), 160 (#1-8, 12-17), 161 (#19)</p>
<i>Note: Extend to linear-quadratic, and linear-inverse variation (simplest rational) systems of equations.</i>	

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
<p>A-CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. <i>For example, rearrange Ohm's law $V = IR$ to highlight resistance R.</i></p>	<p>Mathematics I SE/TE: 132 (#1), 172-177, 288 (#40-49)</p> <p>Mathematics III SE/TE: Honors Appendix: 810-815</p> <p>Also, for related content, please see: Mathematics II SE/TE: 67 (#7), 73 (#9-12), 74 (#13), 79 (#1), 80 (#8), 84 (#7-8)</p>
<p>Note: <i>At this level, extend to compound variation relationships.</i></p>	
<p>Reasoning with Equations & Inequalities A-REI</p>	
<p>Understand solving equations as a process of reasoning and explain the reasoning.</p>	
<p>A-REI.1 Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.</p>	<p>Mathematics I SE/TE: 117-119, 120-125, 126-131, 132-133, 135-137, 138-142, 143-147, 148-152, 153-156, 157</p> <p>Mathematics III SE/TE: 408-413</p> <p>Also, for related content, please see: Mathematics II SE/TE: 79 (#1-2), 80 (#8-9), 87 (#3), 123 (#13, 17), 130 (#2-3)</p>
<p>Note: <i>At this level, limit to factorable quadratics.</i></p>	
<p>A-REI.2 Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.</p>	<p>Mathematics III SE/TE: 53 (#4), 67 (#6), 545-546, 547 (#9-10), 548 (#12-13), 736 (#6), 737 (#10), 743 (#2), 744 (#10)</p> <p>Also, for related content, please see: Mathematics II SE/TE: 31 (#4-5), 32 (#7)</p>

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
Note: <i>At this level, limit to inverse variation.</i>	
Solve equations and inequalities in one variable.	
<p>A-REI.4 Solve quadratic equations in one variable.</p>	<p>Mathematics II SE/TE: 135 (#5), 138 (#1), 139 (#5), 140 (#12), 141 (#14, 19), 142 (#21), 143 (#5), 153-154, 155-161, 162-163, 166 (#5), 203, 221 (#15)</p> <p>Mathematics III SE/TE: 51-54, 410-413</p> <p>Also, for related content, please see: Mathematics I SE/TE: 322 (#8), 327 (#4)</p>
<p>b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b.</p>	<p>Mathematics II SE/TE: 123 (#13), 124 (#23), 130 (#3), 132 (#13), 133-141, 142 (#22), 153, 155-161, 166 (#5), 205-206, 207, 208 (#13-14), 214 (#12), 205 (#13-15), 220 (#11)</p> <p>Also, for related content, please see: Mathematics III SE/TE: 51-54, 449-450</p>
<p>Note: <i>At this level, limit solving quadratic equations by inspection, taking square roots, quadratic formula, and factoring when lead coefficient is one. Writing complex solutions is not expected; however recognizing when the formula generates non-real solutions is expected.</i></p>	
Solve systems of equations.	
<p>A-REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.</p>	<p>For related content, please see: Mathematics I SE/TE: 217 (#5-6), 218 (#9), 321 (#4), 324-325, 328 (#9), 341 (Example 2)</p>

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
Represent and solve equations and inequalities graphically.	
<p>A-REI.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).</p>	<p>Mathematics I SE/TE: 187-188, 195-199, 200-207, 215-218, 222 (#5), 234-240, 241 (#3, 4), 392 (#8), 393 (#12), 395 (#17-18), 462-465, 466 (#9-10)</p> <p>Mathematics II SE/TE: 178, 182 (#13), 184-186, 189 (#1, 3), 190 (#9), 191 (#11-12), 280 (#1-2), 299-307, 308 (#11), 316-323, 324, 330 (#12), 336 (#16), 337 (#18, 20-22), 338-339, 342-343, 345 (#8), 347-348, 350-351, 352 (#1-3), 353 (#7-10), 355 (#16), 356-360, 361 (#1-3), 362 (#5, 9-10), 364 (#17), 811 (#1, 3), Honors Appendix: 941-946, 947-951, 968, 969 (#4), 970 (#11, 13), 971-976, 977, 978 (#5-6), 979 (#10-11), 980-981, 985 (#2), 986 (#3-4, 6),</p> <p>Mathematics III SE/TE: 13-16, 17-21, 25-26, 27 (#1-2), 28 (#6-9), 507-508, 509 (#11, 13), 545-546, 548 (#15-16), 549, 555 (#6, 8), 557 (#19, 22), 592-597, 642-646</p>
Note: At this level, extend to quadratics.	
<p>A-REI.11 Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.</p>	<p>Mathematics I SE/TE: 216 (#1), 217 (#6), 218 (#11), 219 (#3), 279 (#16), 300, 304 (#2), 305 (#5), 319 (#3), 321, 323 (#10, 13), 324-325, 328 (#9), 331-332, 333 (#3, 5-6), 334 (#10), 343 (#7), 393 (#12)</p> <p>Mathematics II SE/TE: 154 (#16), 213 (#2), 317 (#4-5), 807 (#11-12),</p> <p>Mathematics III SE/TE: 17-21, 25-27, 28 (#6-9), 54 (#8), 520-528, 537-538, 541 (#1-2), 542 (#12), 592-599, 642-647</p>
Note: At this level, extend to quadratic functions.	

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
Interpreting Functions F-IF	
Understand the concept of a function and use function notation.	
F-IF.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.	<p>Mathematics I SE/TE: 378-382, 383-386, 387-395, 427, 429 (#11), 431-439, 440-445, 452 (#5, 8), 454 (#11), 455 (#12-13), 466 (#7), 467 (#1)</p> <p>Mathematics III SE/TE: 13-16, 17-21, 22 (#1-4), 23 (#8), 25-27, 28 (#6-9), 29 (#10-11)</p> <p>Also, for related content, please see: Mathematics II SE/TE: 264 (#1-2), 280-282, 283-288, 322 (#13), 328 (#5), 329 (#7), 331 (#13-15)</p>
<i>Note: At this level, extend to quadratic, simple power, and inverse variation functions.</i>	
Interpret functions that arise in applications in terms of the context.	
F-IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</i>	<p>Mathematics I SE/TE: 231 (#6), 285 (#4-7), 383-386, 387-395, 428 (#10), 429-430, 440-446, 462-466, 628 (#11-14)</p> <p>Mathematics II SE/TE: 177, 179-181, 181 (#1-2), 182 (#6-7, 10-12), 184-188, 189-191, 192-197, 197-200, 201, 316-320, 335 (#1-5), 344 (#4, 6), 345, 353 (#6), Honors Appendix: 923, 939 (#6), 940-946, 947-951</p> <p>Mathematics III SE/TE: 317, 335-336, 338 (#3), 414-417, 421-422, 424-428, 429-431, 432-439, 440 (#16-18), 441 (#1, 3), 510-511, 512 (#6-7), 514, 520-522, 525, 527, 528 (#15, 17-18), 537-538, 549-551, 554 (#3-4), 555 (#8-10), 557 (#19-20), 592-597, 599 (#22), 642-647, 676, 678 (#7)</p>
<i>Note: At this level, limit to simple trigonometric functions (sine, cosine, and tangent in standard position) with angle measures of 180° (π radians) or less. Periodicity not addressed.</i>	

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

<p align="center">North Carolina High School Mathematics Math II</p>	<p align="center">Integrated CME Project ©2013</p>
<p>F-IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i></p>	<p>Mathematics I SE/TE: 428 (#10), 437 (#7), 438 (#10), 452 (#8), 454 (#11), 466 (#7)</p> <p>Mathematics II SE/TE: 177-181, 182 (#8, 10), 280 (#1-2, 6), 281 (#9, 11-12), 302-303, 347-348, 352 (#1)</p> <p>Mathematics III SE/TE: 310-315, 316—321, 335-339, 344 (#8), 406 (#4), 414-417, 546, 547 (#10), 594-596, 598 (#13)</p>
<p>Note: At this level, extend to quadratic, right triangle trigonometry, and inverse variation functions.</p>	
<p>Analyze functions using different representations.</p>	
<p>F-IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p>	<p>Mathematics I SE/TE: 225-230, 231-233, 234-238, 239-240, 283 (#16-17), 286 (#2-3), 288 (#28-39), 324-328, 387-395, 429 (#1), 462-466</p> <p>Mathematics III SE/TE: 13, 15 (#12), 16, 27 (#1-2), 28 (#6-9), 333 (#8), 335-336, 337 (#1), 338 (#3-5), 342 (#5), 403-405, 406 (#3, 7), 407 (#9-11), 416 (#1-5), 417 (#8-10, 14), 421, 424-428, 429-430, 431 (#9), 432-436, 437, 438 (#5-6, 9), 439 (#12, 14), 440 (#18), 507-509, 510-512, 514, 520-522, 525, 527, 528 (#15, 17-18), 537-540, 545-547, 548 (#14-16), 549-553, 555 (#8-9), 556 (#13, 15-17), 557 (#19, 22), 592-597, 599 (#22), 642-643, 644 (#3), 646 (#10-11, 13), 647 (#16), 670, 672 (#6), Honors Appendix: 782-784, 785 (#3, 5), 787-790, 794-795, 798 (#9)</p> <p>Also, for related content, please see: Mathematics II SE/TE: 177-182, 183-188, 189 (#2-3), 190 (#9), 191 (#11-12), 192-195, 199 (#8, 10), 335, 336(#16), 337 (#18-22), 338-343, 344 (#4-6), 345, 347-355, 356-364, Honors Appendix: 941-946, 947-951</p>

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.	<p>Mathematics I SE/TE: 392 (#8), 393 (#11-12), 395 (#17-18)</p> <p>Mathematics II SE/TE: 300-304, 306, 307 (#9-10), 308 (#1), 335 (#6-8), 337 (#18)</p>
e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.	<p>Mathematics I SE/TE: 462-466</p> <p>Mathematics II SE/TE: 316-320, 321 (#8), 323 (#22), 335 (#10), 337 (#20), 339</p> <p>Mathematics III SE/TE: 333 (#8), 335-336, 338-339, 340-342, 403-405, 406 (#7), 407 (#10-11), 414-415, 416-417, 424-428, 429-430, 431 (#9), 432-439, 440 (#16, 18), 441 (#1, 3), 592-596, 597 (#8), 599 (#22), 627, 632 (#5), 642-643, 644 (#3), 646 (#11, 13), 647 (#16), 649-652, 653-654, 655 (#9, 12-13), 656 (15-16), 659 (3-4), 660 (#7), 661 (#8), 670, 672 (#6), 674 (#6), 676 (#10)</p>
Note: At this level, extend to simple trigonometric functions (sine, cosine, and tangent in standard position)	
F-IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	<p>Mathematics I SE/TE: 284-285, 286 (#2-3, 5), 363-365, 391 (#4-5), 392 (#6), 394 (#14-15), 465 (#1-4), 466 (#7)</p> <p>Mathematics II SE/TE: 65, 67, 74 (#14), 279, 307 (#6), 308 (#12-13)</p> <p>Mathematics III SE/TE: 79-81, 82, 84 (#11), 507-508, 509, 510-511, 514, 516 (#6), 529-533, 534 (#2-4, 6), 535, 536 (#13), 608 (#1-2)</p>
a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.	<p>Mathematics II SE/TE: 133 (#1), 136 (#9), 139 (#5), 141 (#14), 177-181, 182 (#6-12), 183-188, 189 (#1-2, 4), 190 (#5-6, 9), 191 (#12), 193 (#1-3), 197 (#4)</p>
Note: At this level, completing the square is still not expected.	

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
<p>F-IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i></p>	<p>Mathematics I SE/TE: 385 (#4), 389, 390 (#1), 391 (#2-3), 392 (#6-7), 393 (#12), 394 (#13-15), 443 (#2), 445 (#8, 10-11), 446 (#14-15)</p> <p>Mathematics II SE/TE: 177-179, 181 (#1-2), 182 (#11-12), 183-188, 189-191, 192-200, 238-241, 242-243</p> <p>Also for related content, please see: Mathematics III SE/TE: 79-81, 82, 84 (#11), 416 (#6), 417 (#14)</p>
<p>Note: <i>At this level, extend to quadratic, simple power, and inverse variation functions.</i></p>	
<p>Building Functions F-BF</p>	
<p>Build a function that models a relationship between two quantities.</p>	
<p>F-BF.1 Write a function that describes a relationship between two quantities.</p>	<p>Mathematics I SE/TE: 383-384, 385 (#4-5), 431-434, 435 (#2-3), 436, 437 (#7), 438-439, 440-441, 442-446, Chapter 5 Project: 468-469</p> <p>Mathematics II SE/TE: 238-239, 241, 242 (#1-3), 244 (#11-12), 246-248, 249-250, 251 (#18), 280 (#7), 281 (#8-9), 282 (#15), 321 (#2-3), 322 (#13), 328 (#1-3, 5), 329 (#7), 330 (#12), 331 (#13-15)</p> <p>Mathematics III SE/TE: 127, 129 (#5, 7), 569-571, 572-575, 576 (#7-8), 577-578, 579 (#1-4), 580 (#7, 9), 581, 598 (#13), 605 (#7), 607 (#13-15), 612 (#7-8), 613 (#12, 16)</p>
<p>a. Determine an explicit expression, a recursive process, or steps for calculation from a context.</p>	<p>Mathematics I SE/TE: 366-371, 372-377, 383-384, 385 (#4-5), 402-407, 408-412, 433, 435 (#2-3), 436, 437 (#7), 438-439, 440-446</p> <p>Mathematics II SE/TE: 235-237, 238-239, 241, 244 (#11-12), 322 (#13), 329 (#7), 331 (#13-15)</p> <p>Mathematics III SE/TE: 127, 129 (#5, 7), 176, 184-187, 188 (#4-5), 189 (#7), 196 (#5-6, 11), 569-571, 572-576, 598 (#13), 605 (#7), 607 (#13-15), 612 (#7-8), 613 (#12, 16)</p>
<p>Note: <i>Continue to allow informal recursive notation through this level.</i></p>	

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
b. Combine standard function types using arithmetic operations. <i>For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</i>	For related content, please see: Mathematics I SE/TE: 378-382 Mathematics II SE/TE: 274-279, 280 (#2), 281 (#11) Mathematics III SE/TE: 27-29
Build new functions from existing functions.	
F-BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.	Mathematics I SE/TE: 187, 188 (#9-12), 219 (#2-3), 222 (#4-6), 225-230, 232 (#12), 233 (#17-18), 234-238, 239 (#1-5, 7), 240 (#14, 16), 241 (#3), 382 (#12), 633-634, 635 (#3), 636 (#6) Mathematics II SE/TE: 335, 337 (#17, 20, 22), 344-345, 347-351, 352 (#1), 353 (#5, 9), 356-364 For related content, please see: Mathematics III SE/TE: 338 (#11-12), 406 (#4, 7), 407 (#10, 12), 421, 422 (#11), 423 (#12), 428, 429 (#7), 430-431, 435-436, 437, 438 (#5-8), 439, 440 (#18), 509 (#10-11, 13), 525-526, 599 (#22), 608 (#1), 613 (#13)
Note: At this level, extend to quadratic functions and, $k f(x)$.	
Congruence	G-CO
Experiment with transformations in the plane	
G-CO.2 Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	Mathematics II SE/TE: 536-543, 608-612 Also, for related content, please see: Mathematics I SE/TE: 189-194, 621-623, 624-630, 631-638, 639-647, 659, 660 (#6-7)
G-CO.3 Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	For related content, please see: Mathematics I SE/TE: 639-647
G-CO.4 Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	For related content, please see: Mathematics I SE/TE: 621-623, 624-627, 631-638, 639 (#9-12), 640-643, 644-646

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
G-CO.5 Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	For related content, please see: Mathematics I SE/TE: 621-623, 624-627, 631-638, 639-646, 661 (#11)
Understand congruence in terms of rigid motions	
G-CO.6 Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.	Mathematics I SE/TE: 648-652, 653-655
G-CO.7 Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	Mathematics I SE/TE: 616 (#1-4), 617 (#8-12), 648-652, 653-655 Mathematics II SE/TE: 428-433
G-CO.8 Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	For related content, please see: Mathematics I SE/TE: 616 (#1-4), 617 (#5-12), 648-652, 653-655 Mathematics II SE/TE: 428-433
Prove geometric theorems	
G-CO.10 Prove theorems about triangles. <i>Theorems include: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.</i>	For related content, please see: Mathematics I SE/TE: 576 (Conjecture 7.1), 576 (#10-13), 614-616 Mathematics II SE/TE: 430 (#3-4), 433 (#16), 438, 471, 484 (#5), 485 (#6), 490 (#1-2), 491, 492 (#2), 493 (#4), 499-504, 521-523, 722-727
Note: <i>At this level, include measures of interior angles of a triangle sum to 180° and the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length.</i>	
Make geometric constructions	
G-CO.13 Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	Mathematics I SE/TE: 592-593, 596 (#14), 597 (#1) Mathematics II SE/TE: 635-639

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
Similarity, Right Triangles, & Trigonometry	
G-SRT	
Understand similarity in terms of similarity transformations	
G-SRT.1 Verify experimentally the properties of dilations given by a center and a scale factor:	Mathematics I SE/TE: 561-564, 565-571 Also, for related content, please see: Mathematics II SE/TE: 561-564, 565-571
a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged.	Mathematics I SE/TE: 565-571
b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	Mathematics I SE/TE: 565-571 Also, for related content, please see: Mathematics II SE/TE: 536-543, 565-571
Define trigonometric ratios and solve problems involving right triangles	
G-SRT.6 Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	Mathematics II SE/TE: 746-752, Honors Appendix: 907-912 Mathematics III SE/TE: 300-303, 304-305
G-SRT.7 Explain and use the relationship between the sine and cosine of complementary angles.	Mathematics II SE/TE: 746-752, Honors Appendix: 909-910, 911 (#8-10) Mathematics III SE/TE: 304-305, Honors Appendix: 794, 797 (#5), 799 (#5)
G-SRT.8 Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.	Mathematics II SE/TE: 741-745, 746-752, 753-759, Honors Appendix: 907-912 Mathematics III SE/TE: 300-305, 411
Apply trigonometry to general triangles	
G-SRT.9 (+) Derive the formula $A = \frac{1}{2} ab \sin(C)$ for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side.	Mathematics III SE/TE: 353-355, 356-362 Also, for related content, please see: Mathematics II SE/TE: 753-759

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
G-SRT.11 (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces).	Mathematics III SE/TE: 368 (#8-9, 13), 369 (#14-18, 19), 378 (#9, 15-17), 379 (#20)
Expressing Geometric Properties with Equations G-GPE	
Translate between the geometric description and the equation for a conic section	
G-GPE.1 Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.	Mathematics II SE/TE: 802-803, 825 (#2), 827 (#8)
<i>Note: At this level, derive the equation of the circle using the Pythagorean Theorem.</i>	
G-GPE.6 Find the point on a directed line segment between two given points that partitions the segment in a given ratio.	Mathematics I SE/TE: 664-665, 666 (#2, 5-6), 678 (#12), Honors Appendix: 716 (#21) Also, for related content, please see: Mathematics II SE/TE: 560 (#11-13), 728-734, 769-770
Geometric Measurement and Dimension G-GMD	
Visualize relationships between two-dimensional and three-dimensional objects	
G-GMD.4 Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.	For related content, please see: Mathematics II SE/TE: 773-779, Honors Appendix: 964-970 Mathematics III SE/TE: 735, 736 (#7-8), 738-742
Modeling with Geometry G-MG	
Apply geometric concepts in modeling situations	
G-MG.1 Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).	For related content, please see: Mathematics II SE/TE: 443 (#13), 707-709, 767 (#5-8), 768 (#9-12)
G-MG.2 Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).	For related content, please see: Mathematics II SE/TE: 608-612 Mathematics III SE/TE: 731 (#2), 733 (#8)
G-MG.3 Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).	Mathematics III SE/TE: 719-723, 725-727

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
Making Inferences & Justifying Conclusions S-IC	
Understand and evaluate random processes underlying statistical experiments	
S-IC.2 Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. <i>For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?</i>	Mathematics II SE/TE: 379-380 Also, for related content, please see: Mathematics III SE/TE: 175-176, 227-232, 235-236, 291 (#5)
Make inferences and justify conclusions from sample surveys, experiments, and observational studies	
S-IC.6 Evaluate reports based on data.	Mathematics III SE/TE: 237-239, 240-246, 255 (#2), 257 (#6), 258 (#10-11), 287-292
Conditional Probability and the Rules of Probability S-CP	
Understand independence and conditional probability and use them to interpret data	
S-CP.1 Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not").	Mathematics II SE/TE: 379, 381-387 Mathematics III SE/TE: 177-178, 180-181, 182-183
S-CP.2 Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.	Mathematics II SE/TE: 384-385 Mathematics III SE/TE: 180-181, 182 (#8), 183 (#10) Also, for related content, please see: Mathematics I SE/TE: 505-506, 507 (#5), 510 (#14-15)
S-CP.3 Understand the conditional probability of A given B as $P(A \text{ and } B)/P(B)$, and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A , and the conditional probability of B given A is the same as the probability of B .	Mathematics II SE/TE: 388-390, 391 (#8-9), 391 (Theorem 5.2; #13), 392, 394 (#11), 395-400

**A Correlation of Integrated CME Project, Mathematics I-III, ©2013
To the North Carolina High School Mathematics - MATH II**

North Carolina High School Mathematics Math II	Integrated CME Project ©2013
<p>S-CP.4 Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. <i>For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.</i></p>	<p>Mathematics I SE/TE: 504, 505 (#4-5), 507 (#3-7), 509 (#8-9, 11), 510 (#17-18)</p> <p>Mathematics II SE/TE: 393 (#5, 7), 394 (#8-9), 395-400</p> <p>Mathematics III SE/TE: 239 (#7, 9, 11), 246 (#9)</p>
<p>S-CP.5 Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. <i>For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.</i></p>	<p>Mathematics II SE/TE: 389-391, 392-394, 395-400</p> <p>Also, for related content, please see: Mathematics III SE/TE: 183 (#10)</p>
<p>Use the rules of probability to compute probabilities of compound events in a uniform probability model</p>	
<p>S-CP.6 Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model.</p>	<p>Mathematics II SE/TE: 388 (#1), 391 (#10-13), 392 (#3, 4), 393 (#7), 394 (#8-10), 395-400</p>
<p>S-CP.7 Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$, and interpret the answer in terms of the model.</p>	<p>Mathematics II SE/TE: 381-387</p> <p>Mathematics III SE/TE: 181, 182 (#8), 183 (#10)</p>
<p>S-CP.8 (+) Apply the general Multiplication Rule in a uniform probability model, $P(A \text{ and } B) = P(A)P(B A) = P(B)P(A B)$, and interpret the answer in terms of the model.</p>	<p>Mathematics II SE/TE: 388-394, 395-400</p> <p>Mathematics III SE/TE: 178-180, 182-183, 184-189, 190-197, 247-251</p>
<p>S-CP.9 (+) Use permutations and combinations to compute probabilities of compound events and solve problems.</p>	<p>Mathematics II SE/TE: 386 (#4), 401-406, 407-414</p>