A Correlation of

Pearson
Integrated CME Project
Mathematics I
©2013



to the

Common Core State Standards for Mathematics

Appendix A, Integrated Pathway Mathematics I

High School

ALWAYS LEARNING PEARSON

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Introduction

This document demonstrates how ***Pearson Integrated CME Project,*** **Mathematics I ©2013** meets the standards of the *Common Core State Standards for Mathematics, Appendix A, Integrated Pathway Mathematics I.* Correlation references are to the pages of the Student and Teacher's Editions.

The ***Integrated CME Project*** is an NSF-funded core mathematics program that was built for the Integrated Pathway of the Common Core State Standards. It includes content from algebra, geometry, as well as Precalculus concepts. The program's proven-effective pedagogy provides the focus, coherence, and rigor necessary to ensure today's students master the challenging new Common Core State Standards. The program also incorporates technology and hands-on projects and activities to engage today's digital students in deep mathematical learning.

Integrated CME Content includes Mathematics I, Mathematics II, and Mathematics III. Each course is focused on big ideas. ***Integrated CME Project*** is organized by coherent chapters. Chapters are comprised of investigation. Each Investigation is then composed of 3-6 lessons. The basic mathematics of each Investigation is accessible to all, and each Investigation can ultimately challenge the best students. The students work from a more informal to formal understanding of the mathematical topic explored in that particular chapter. The Investigation wrap-up, called Mathematical Reflections, provides an opportunity to review and summarize at the end of the chapter—good preparation for the Next-Generation assessments that will require students to justify their conclusions and mathematical understandings in writing. A Chapter Project extends student understanding by presenting challenges and highlighting connections to additional topics—projects are great preparation for performance tasks that will be on the upcoming Next-Generation assessments.

This document demonstrates the high degree of success students will achieve by using ***Pearson Integrated CME Project,*** **Mathematics I-III.**

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Table of Contents

A Correlation of Pearson Integrated CME Project Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Unit 1: Relationships between Quantities		
SKILLS TO MAINTAIN Reinforce understanding of the properties of integer exponents. The initial experience with exponential expressions, equations, and functions involves integer exponents and builds on this understanding.		
Reason quantitatively and use units to solve problems. Working with quantities and the relationships between them provides grounding for work with expressions, equations, and functions.	N.Q.1 Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.	**SE/TE:** 174 (#3),175, 210, 211 (#2), 231 (#1), 232 (#10-11), 257 (#1), 253-256, 257 (#1), 258-260, 261 (#16), 292-293, 343 (#1-2), 368 (#1), 369, 370 (#6-10), 488-489, 491 (#1, 3-4), 492 (#6-8), 494 (#12), 524 (#6), 525 (#8-9), 540 (#5-6), 541 (#11), 542 (#12), 549 (#10-12)
	N.Q.2 Define appropriate quantities for the purpose of descriptive modeling.	**SE/TE:** 253-256, 257 (#1), 258-261, 368 (#1), 369, 370 (#6-10), 536-538, 539-542, 543-545, 549 (#10-12)
	N.Q.3 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	**SE/TE:** 488-490, 491-494, 495-499, 500-502, 503-506, 507-510, 511-514, 515-518, 519 (#12, 14-15), 523-524, 525 (#7-10), 528-531, 532-534, 535 (#10), 536-538, 539-541, 542 (#12), 543-545, 546-548, 549 (#9-10), 575, 576 (#11-13)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Interpret the structure of expressions. Limit to linear expressions and to exponential expressions with integer exponents.	A.SSE.1 Interpret expressions that represent a quantity in terms of its context.★	**SE/TE:** 93-97, 98-99, 100, 101 (#7), 102 (#11), 112, 113 (#8), 114 (#10), 279-281, 282 (#7-8, 10), 283 (#11, 13, 15)
	a. Interpret parts of an expression, such as terms, factors, and coefficients.	For related content, please see: **SE/TE:** 104
	b. Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret P(1+r)n as the product of P and a factor not depending on P.	**SE/TE:** 103-105, 108 (#9-10), 113 (#5-7), 279-283

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Create equations that describe numbers or relationships. Limit A.CED.1 and A.CED.2 to linear and exponential equations, and, in the case of exponential equations, limit to situations requiring evaluation of exponential functions at integer inputs. Limit A.CED.3 to linear equations and inequalities. Limit A.CED.4 to formulas with a linear focus.	A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.	**SE/TE:** 136 (#9), 141 (#10), 159 (#1), 162-166, 167-171, 321 (#1-2), 322 (#8), 329, 331, 336 (#15), 366-370, 371 (#11, 13), 450 (#1-2), 451 (#3), 452 (#5, 8), 453 (#9), 454 (#11), 456 (#7), 525 (#10)
	A.CED.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	**SE/TE:** 172-177, 178, 195-199, 200-207, 222 (#4-5), 240 (#16), 241 (#3-4)
	A.CED.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.	**SE/TE:** 148-152, 172-177, 200-202, 203, 204 (#5-6), 265 (#11), 289-291, 292 (#1-2), 293 (#4-10), 304 (#1, 3), 305 (#4, 5), 306 (#9-10), 307 (#13), 311 (#10-12), 321, 322 (#8), 323 (#10-12), 329-332, 333 (#4-6), 334 (#10-11), 335
	A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.	**SE/TE:** 132 (#1), 172-177, 288 (#40-49)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Unit 2: Linear and Exponential Relationships		
Represent and solve equations and inequalities graphically. *For A.REI.10, focus on linear and exponential equations and be able to adapt and apply that learning to other types of equations in future courses. For A.REI.11, focus on cases where f(x) and g(x) are linear or exponential.*	A.REI.10 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	**SE/TE:** 187-188, 195-199, 200-207, 215-218, 222 (#5), 234-240, 241 (#3, 4), 392 (#8), 393 (#12), 395 (#17-18), 462-465, 466 (#9-10)
	A.REI.11 Explain why the *x*-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.★	**SE/TE:** 216 (#1), 217 (#6), 218 (#11), 219 (#3), 279 (#16), 300, 304 (#2), 305 (#5), 319 (#3), 321, 323 (#10, 13), 324-325, 328 (#9), 331-332, 333 (#3, 5-6), 334 (#10), 343 (#7), 393 (#12)
	A.REI.12 Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.	**SE/TE:** 337-341, 342 (#1-3), 344 (#8, 12), 345-350, 351-354

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Understand the concept of a function and use function notation. *Students should experience a variety of types of situations modeled by functions. Detailed analysis of any particular class of function at this stage is not advised. Students should apply these concepts throughout their future mathematics courses.* *Draw examples from linear and exponential functions. In F.IF.3, draw connection to F.BF.2, which requires students to write arithmetic and geometric sequences. Emphasize arithmetic and geometric sequences as examples of linear and exponential functions.*	F.IF.1 Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If *f* is a function and *x* is an element of its domain, then *f(x)* denotes the output of *f* corresponding to the input *x*. The graph of *f* is the graph of the equation *y = f(x)*.	**SE/TE:** 363-365, 372-377, 378-382, 383-384, 385 (#2, 4), 386 (#7), 388
	F.IF.2 Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.	**SE/TE:** 378-382, 383-386, 387-395, 427, 429 (#11), 431-439, 440-445, 452 (#5, 8), 454 (#11), 455 (#12-13), 466 (#7), 467 (#1)
	F.IF.3 Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers.	**SE/TE:** 429 (#12), 430 (#14-17), 431-434, 435 (#3), 436 (#4), 438 (#8, 11), 439 (#12-13), 447-454

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Interpret functions that arise in applications in terms of a context. *For F.IF.4 and 5, focus on linear and exponential functions. For F.IF.6, focus on linear functions and intervals for exponential functions whose domain is a subset of the integers. Mathematics II and III will address other function types.* *N.RN.1 and N.RN. 2 will need to be referenced here before discussing exponential models with continuous domains.*	F.IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. *Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.* ★	**SE/TE:** 231 (#6), 285 (#4-7), 383-386, 387-395, 428 (#10), 429-430, 440-446, 462-466, 628 (#11-14)
	F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. ★	**SE/TE:** 428 (#10), 437 (#7), 438 (#10), 452 (#8), 454 (#11), 466 (#7)
	F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. ★	**SE/TE:** 253-261, 529-531, 535 (#11)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Analyze functions using different representations. *For F.IF.7a, 7e, and 9 focus on linear and exponential functions. Include comparisons of two functions presented algebraically. For example, compare the growth of two linear functions, or two exponential functions such as y=3n and y=100·2n.*	F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. ★	**SE/TE:** 225-230, 231-233, 234-238, 239-240, 283 (#16-17), 286 (#2-3), 288 (#28-39), 324-328, 387-395, 429 (#1), 462-466
	a. Graph linear and quadratic functions and show intercepts, maxima, and minima.	For related content, please see: **SE/TE:** 215, 217 (#6), 219 (#2-4), 222 (#5), 225-227, 231 (#2), 232 (#11, 13), 241 (#3-4), 283 (#16-17), 284-285, 286 (#2-3), 288 (#28-39), 388-389, 391-392, 393 (#9), 395 (#17-18)
	e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.	**SE/TE:** 462-466
	F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	**SE/TE:** 385 (#4), 389, 390 (#1), 391 (#2-3), 392 (#6-7), 393 (#12), 394 (#13-15), 443 (#2), 445 (#8, 10-11), 446 (#14-15)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Build a function that models a relationship between two quantities. *Limit F.BF.1a, 1b, and 2 to linear and exponential functions. In F.BF.2, connect arithmetic sequences to linear functions and geometric sequences to exponential functions.*	F.BF.1 Write a function that describes a relationship between two quantities. ★	**SE/TE:** 383-384, 385 (#4-5), 431-434, 435 (#2-3), 436, 437 (#7), 438-439, 440-441, 442-446, Chapter 5 Project: 468-469
	a. Determine an explicit expression, a recursive process, or steps for calculation from a context.	**SE/TE:** 366-371, 372-377, 383-384, 385 (#4-5), 402-407, 408-412, 433, 435 (#2-3), 436, 437 (#7), 438-439, 440-446
	b. Combine standard function types using arithmetic operations.	For related content, please see: **SE/TE:** 378-382
	F.BF.2 Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. ★	**SE/TE:** 432-435, 436, 438 (#11), 439, 440-442, 443-446, 453 (#9), 454 (#10)
Build new functions from existing functions. *Focus on vertical translations of graphs of linear and exponential functions. Relate the vertical translation of a linear function to its y-intercept.* *While applying other transformations to a linear graph is appropriate at this level, it may be difficult for students to identify or distinguish between the effects of the other transformations included in this standard.*	F.BF.3 Identify the effect on the graph of replacing *f(x)* by *f(x) + k, k f(x), f(kx),* and *f(x + k)* for specific values of *k* (both positive and negative); find the value of *k* given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. *Include recognizing even and odd functions from their graphs and algebraic expressions for them.*	**SE/TE:** 187, 188 (#9-12), 219 (#2-3), 222 (#4-6), 225-230, 232 (#12), 233 (#17-18), 234-238, 239 (#1-5, 7), 240 (#14, 16), 241 (#3), 382 (#12), 633-634, 635 (#3), 636 (#6)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Construct and compare linear, quadratic, and exponential models and solve problems. *For F.LE.3, limit to comparisons between exponential and linear models.*	F.LE.1 Distinguish between situations that can be modeled with linear functions and with exponential functions.	**SE/TE:** 428 (#10), 429 (#12), 437 (#7), 438 (#10-11), 443-444, 445 (#10-11), 452 (#8), 460 (#3-4, 6-7), 461 (#8, 11-12), 462-464, 466 (#7)
	a. Prove that linear functions grow by equal differences over equal intervals; exponential functions grow by equal factors over equal intervals.	**SE/TE:** 427-428, 429 (#11-12), 431-434, 435-439, 445, 447-449, 450 (#1-2), 451-453
	b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.	**SE/TE:** 428 (#10), 429 (#12), 437 (#7), 445 (#11), 447-449, 451 (#4), 452 (#8)
	c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.	**SE/TE:** 447-454, 456-458, 459 (#1), 460 (#3-4, 6-7), 461 (#8, 11-12), 462-464, 466 (#7)
	F.LE.2 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).	**SE/TE:** 279-281, 282 (#8, 10), 283 (#11, 13, 15, 18), 286 (#1), 287 (#8-27), 288 (#50), 292 (#1-2), 294 (#2), 459 (#1), 460 (#4), 466 (#7)
	F.LE.3 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	For related content, please see: **SE/TE:** 462-463, 464 (#3-4), 465 (#1-4), 466 (#7)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Interpret expressions for functions in terms of the situation they model. *Limit exponential functions to those of the form f(x) = bx + k .*	F.LE.5 Interpret the parameters in a linear or exponential function in terms of a context.	**SE/TE:** 289-293, 300, 304 (#1, 3), 305 (#5), 306 (#9-10), 428 (#10), 429 (#12), 437 (#7), 438 (#10-11), 445 (#10-11), 452 (#8), 456-459, 460 (#3-4, 6-7), 461 (#8, 11-12), 462-464, 466 (#7)
Unit 3: Reasoning with Equations		
Understand solving equations as a process of reasoning and explain the reasoning. *Students should focus on and master A.REI.1 for linear equations and be able to extend and apply their reasoning to other types of equations in future courses. Students will solve exponential equations with logarithms in Mathematics III.*	A.REI.1 Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.	**SE/TE:** 117-119, 120-125, 126-131, 132-133, 135-137, 138-142, 143-147, 148-152, 153-156, 157
Solve equations and inequalities in one variable. *Extend earlier work with solving linear equations to solving linear inequalities in one variable and to solving literal equations that are linear in the variable being solved for. Include simple exponential equations that rely only on application of the laws of exponents, such as 5x = 125 or 2x = 1/16 .*	A.REI.3 Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.	**SE/TE:** 117-119, 120-125, 126-131, 132-133, 135-137, 138-142, 143-147, 148-152, 153-156, 157, 167-171, 321, 322 (#6, 9), 323 (#11), 329-336

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Solve systems of equations. *Build on student experiences graphing and solving systems of linear equations from middle school to focus on justification of the methods used. Include cases where the two equations describe the same line (yielding infinitely many solutions) and cases where two equations describe parallel lines (yielding no solution); connect to GPE.5, which requires students to prove the slope criteria for parallel lines.*	A.REI.5 Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.	For related content, please see: **SE/TE:** 300-305, 307 (#11, 13), 313-318, 319
	A.REI.6 Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.	**SE/TE:** 216 (#1-3), 217 (#7), 297, 299 (#9), 300-305, 307 (#11, 13), 311 (#12), 312 (#13), 313-318, 319
Unit 4: Descriptive Statistics		
Summarize, represent, and interpret data on a single count or measurement variable. *In grades 6 – 8, students describe center and spread in a data distribution. Here they choose a summary statistic appropriate to the characteristics of the data distribution, such as the shape of the distribution or the existence of extreme data points.*	S.ID.1 Represent data with plots on the real number line (dot plots, histograms, and box plots).	**SE/TE:** 488-489, 491 (#1, 3-4), 492 (#6-8), 493 (#10), 494 (#12), 495-499, 500 (#4), 501 (#9), 495-499, 520 (#1, 3)
	S.ID.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.	**SE/TE:** 481-487, 489 (#4), 490 (#6), 491 (#2, 4), 492 (#7), 493 (#11), 494 (#13-14), 495-498, 499 (#1), 500 (#2-7), 501 (#9)
	S.ID.3 Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).	**SE/TE:** 488 (#2), 493 (#11), 495-499, 500-501, 536

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Summarize, represent, and interpret data on two categorical and quantitative variables. *Students take a more sophisticated look at using a linear function to model the relationship between two numerical variables. In addition to fitting a line to data, students assess how well the model fits by analyzing residuals.* *S.ID.6b should be focused on situations for which linear models are appropriate.*	S.ID.5 Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.	**SE/TE:** 503-506, 506 (#1), 507-510
	S.ID.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.	**SE/TE:** 511-514, 515-519, 528-531, 533 (#4)
	a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. *Use given functions or choose a function suggested by the context. Emphasize linear and exponential models.*	**SE/TE:** 523-524, 525-527, 529-530, 532 (#3), 534 (#8)
	b. Informally assess the fit of a function by plotting and analyzing residuals.	This standard is outside the scope of Integrated CME
	c. Fit a linear function for scatter plots that suggest a linear association.	**SE/TE:** 528-531, 532-535, 536-537, 539-542, 543-545, 546-549, 550

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I
to the Common Core State Standards for Mathematics
Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Interpret linear models. *Build on students' work with linear relationships in eighth grade and introduce the correlation coefficient. The focus here is on the computation and interpretation of the correlation coefficient as a measure of how well the data fit the relationship. The important distinction between a statistical relationship and a cause-and-effect relationship arises in S.ID.9.*	S.ID.7 Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.	**SE/TE:** 253-257, 257 (#1), 258-261, 289-291, 292-293, 529-531, 532 (#3), 534 (#7-8), 535 (#11). 537 (#1), 539 (#3-4)
	S.ID.8 Compute (using technology) and interpret the correlation coefficient of a linear fit.	**SE/TE:** 511-514, 515 (#3, 5), 516 (#6), 519 (#12-13)
	S.ID.9 Distinguish between correlation and causation.	**SE/TE:** 514, 516 (#6)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Unit 5: Congruence, Proof, and Constructions		
Experiment with transformations in the plane. *Build on student experience with rigid motions from earlier grades. Point out the basis of rigid motions in geometric concepts, e.g., translations move points a specified distance along a line parallel to a specified line; rotations move objects along a circular arc with a specified center through a specified angle.*	G.CO.1 Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	**SE/TE:** 35, 36 (#5-6, 8-9), 279-280, 587-588, 589-591, 607-608, 608 (#1), 609 (#7), 607, 659 (#2), 660 (#6-7), 664 (#6-7), 669 (#1-3), 669 (Theorem 8.4), 674 (Theorem 8.5)
	G.CO.2 Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	For related content, please see: **SE/TE:** 189-194, 621-623, 624-630, 631-638, 639-647, 659, 660 (#6-7)
	G.CO.3 Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	For related content, please see: **SE/TE:** 639-647
	G.CO.4 Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	For related content, please see: **SE/TE:** 621-623, 624-627, 631-638, 639 (#9-12), 640-643, 644-646
	G.CO.5 Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	For related content, please see: **SE/TE:** 621-623, 624-627, 631-638, 639-646, 661 (#11)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Understand congruence in terms of rigid motions. *Rigid motions are at the foundation of the definition of congruence. Students reason from the basic properties of rigid motions (that they preserve distance and angle), which are assumed without proof. Rigid motions and their assumed properties can be used to establish the usual triangle congruence criteria, which can then be used to prove other theorems.*	G.CO.6 Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.	**SE/TE:** 648-652, 653-655
	G.CO.7 Use the definition of congruence in terms of rigid motion to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	**SE/TE:** 616 (#1-4), 617 (#8-12), 648-652, 653-655
	G.CO.8 Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	**SE/TE:** 616 (#1-4), 617 (#5-12), 648-652, 653-655
Make geometric constructions. *Build on prior student experience with simple constructions. Emphasize the ability to formalize and defend how these constructions result in the desired objects.* *Some of these constructions are closely related to previous standards and can be introduced in conjunction with them.*	G.CO.12 Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). *Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.*	**SE/TE:** 575-576, 577-580, 580 (#1), 581-583, 584-585, 587-588, 589-591, 593-594, 596 (#10)
	G.CO.13 Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	**SE/TE:** 592-593, 596 (#14), 597 (#1)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition

A Correlation of Pearson Integrated CME Project, Mathematics I to the Common Core State Standards for Mathematics Appendix A Integrated Pathway: Mathematics I

Clusters with Instructional Notes	Common Core State Standards for Mathematics Integrated Pathway: Mathematics I	Integrated CME Project ©2013 Mathematics I
Unit 6: Connecting Algebra and Geometry Through Coordinates		
Use coordinates to prove simple geometric theorems algebraically. *This unit has a close connection with the next unit. For example, a curriculum might merge G.GPE.1 and the Unit 5 treatment of G.GPE.4 with the standards in this unit. Reasoning with triangles in this unit is limited to right triangles; e.g., derive the equation for a line through two points using similar right triangles.* *Relate work on parallel lines in G.GPE.5 to work on A.REI.5 in Mathematics I involving systems of equations having no solution or infinitely many solutions.* *G.GPE.7 provides practice with the distance formula and its connection with the Pythagorean theorem.*	G.GPE.4 Use coordinates to prove simple geometric theorems algebraically.	**SE/TE:** 678 (#10)
	G.GPE.5 Prove the slope criteria for parallel and perpendicular lines; use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).	For related content, please see: **SE/TE:** 308-309, 310 (#1), 311 (#5-9), 669, 672 (#6), 674-676, 677 (#1-2, 5-6)
	G.GPE.7 Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula. ★	For related content, please see: **SE/TE:** 662-664, 666 (#2-3), 678 (#8)

★ indicates modeling standards
SE = Student Edition
TE = Teacher's Edition